

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

## APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

## 1a. TYPE OF WORK

DRILL ☒DEEPEN ☐PLUG BACK ☐

## b. TYPE OF WELL

OIL  
WELL ☒GAS  
WELL ☐

OTHER

SINGLE  
ZONE ☒MULTIPLE  
ZONE ☐

## 2. NAME OF OPERATOR

Chevron U.S.A. Inc.

## 3. ADDRESS OF OPERATOR

P. O. Box 599, Denver, CO 80201

## 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)

At surface  
660' FSL & 1836' FWL SESW

At proposed prod. zone

## 14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE\*

±18 miles southeast of Jensen, Utah

## 15. DISTANCE FROM PROPOSED\*

LOCATION TO NEAREST  
PROPERTY OR LEASE LINE, FT.  
(Also to nearest drilg. unit line, if any)

4650'

## 18. DISTANCE FROM PROPOSED LOCATION\*

TO NEAREST WELL, DRILLING, COMPLETED,  
OR APPLIED FOR, ON THIS LEASE, FT.

1250'

## 16. NO. OF ACRES IN LEASE

Within Unit

## 19. PROPOSED DEPTH

5700'

17. NO. OF ACRES ASSIGNED  
TO THIS WELL

40

## 20. ROTARY OR CABLE TOOLS

Rotary

## 21. ELEVATIONS (Show whether DF, RT, GR, etc.)

GR 5658'

## 22. APPROX. DATE WORK WILL START\*

January 1985

## 23.

## PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
16"	14"		50'	To Surface
12 1/4"	9 5/8"	36#	500'	To Surface
8 3/4"	7"	23#	5700'	To Surface

It is proposed to drill this Development Well to a depth of 5700' to test the Lower Green River Formation.

## Attachments:

Certified Plat  
Drilling Program  
Chevron Class III BOPE  
Multisurface Use Plan


Completion Procedure to be submitted by Sundry Notice.  
AFE's have been forwarded to Working Interest Partners.

3 - BLM  
2 - State  
3 - Partners  
1 - LRH  
1 - ALF  
1 - LJT  
1 - Geology  
1 - Sec. 724C  
1 - Field  
1 - File

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

## 24.

SIGNED

TITLE Engineering AssistantDATE Nov. 8, 1984

(This space for Federal or State office use)

PERMIT NO. \_\_\_\_\_

APPROVAL

APPROVED BY THE STATE  
OF UTAH DIVISION OF  
OIL, GAS, AND MINING

APPROVED BY \_\_\_\_\_

TITLE \_\_\_\_\_


CONDITIONS OF APPROVAL, IF ANY:

DATE: 7/21/84  
BY: John R. Bay

**T 7 S, R 24 E, S.L.B. & M.**

PROJECT  
**CHEVRON U.S.A. INC.**

Well location, **RED WASH UNIT # 294 (24-18C)**, located as shown in the SE 1/4 SW 1/4 Section 18, T 7 S, R 24 E, S.L.B. & M. Uintah County, Utah.



**RED WASH UNIT # 294 (24-18C)**  
**Elev. Ungraded Ground - 5658'**

X = Section Corners Located



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

*Nelson J. [Signature]*  
REGISTERED LAND SURVEYOR  
REGISTRATION NO 2454  
STATE OF UTAH

**UINTAH ENGINEERING & LAND SURVEYING**  
**P.O. BOX Q - 85 SOUTH - 200 EAST**  
**VERNAL, UTAH - 84078**

SCALE 1" = 1000'	DATE 10 / 29 / 84
PARTY D.B. C.M. BFW	REFERENCES GLO Plat
WEATHER Cold	FILE CHEVRON

DRILLING PROGRAM

84-31  
10/8/84 DRILL  
C R W INFILL WELLS

Field Red Wash Unit Well RWU 294 (24-18C) Exp/Dev Dev.

Location Section 18, T7S, R24E, 660' ESL, 1836' FWL, Uintah Co., Utah

Drill X Deepen                      Elevations: GL 5658' KB 5678' (est.)

Directional/Straight Hole: Proposed Measured TD 5700' TVD 5700'

KOP                      Build                      Max. Angle                      Avg. Angle                     

Target Location                      Bearing from Surface                     

1. Conductor Hole

Hole Size 16" Proposed Depth 50' Casing Size, Weight & Grade 14"

2. Surface Hole

Hole Size 12 1/4" Proposed Depth 500' BOPE None

Mud Program: Type                      MW                      FV                      WL                      Other                     

Gel-Water +8.6                                                               

Potential Hazards: None

Electric Logging Program: None

Core/DST Program: None

Casing Program:

Size	Grade	Weight	Thread	Section Length
<u>9-5/8"</u>	<u>K-55</u>	<u>36#/ft</u>	<u>ST&amp;C</u>	<u>500'</u>
<u>                    </u>	<u>                    </u>	<u>                    </u>	<u>                    </u>	<u>                    </u>
<u>                    </u>	<u>                    </u>	<u>                    </u>	<u>                    </u>	<u>                    </u>

Cement Program: Lead Slurry Class 'H' w/2% CaCl<sub>2</sub> - 250 sxs.

Tail Slurry                     

WOC Time 6 hrs. Casing Test 1500 psi Shoe test MWE 8.4 ppG

(Static)

3. Intermediate Hole (N/A)

Hole Size                      Proposed Depth                      BOPE                     

Mud Program: Type                      MW                      FV                      WL                      Other                     

Potential Hazards:                     

Electric Logging Program:                     

Core/DST Program:                     

Casing Program:

Size	Grade	Weight	Thread	Section Length
<u>                    </u>	<u>                    </u>	<u>                    </u>	<u>                    </u>	<u>                    </u>
<u>                    </u>	<u>                    </u>	<u>                    </u>	<u>                    </u>	<u>                    </u>
<u>                    </u>	<u>                    </u>	<u>                    </u>	<u>                    </u>	<u>                    </u>
<u>                    </u>	<u>                    </u>	<u>                    </u>	<u>                    </u>	<u>                    </u>

Cement Program: Lead Slurry                     

Tail Slurry                     

WOC Time                      hrs. Casing Test                      psi Shoe test MWE                      ppG

#### 4. Oil String/Liner Hole

Hole Size 8-3/4 Proposed Depth 5700' BOPE Chevron Class III 3000 psi W.P.  
Mud Program: Type MW FV WL Other

Gel-Water +8.6 - - 500' - 2500'

Gel-Water-Chem +9.0 40 10 cc below 4500' 2500' - TD

Potential Hazards: Lost circulation from 3000' to T.D.

Electric Logging Program: DII-MSFI-SP, LDT-CNI-GR-CAL, EPT, DPT, Microlog

Core/DST Program: Core 300' (Ka - LF sands) Estimated Depth 5241-5541

Casing Program:

Size	Grade	Weight	Thread	Section Length
<u>7"</u>	<u>N-80</u>	<u>23#/ft.</u>	<u>LT&amp;C</u>	<u>4900' - TD</u>
<u>7"</u>	<u>K-55</u>	<u>23#/ft.</u>	<u>LT&amp;C</u>	<u>Surf - 4900'</u>

Cement Program: Lead Slurry Low Density Filler Cement

Tail Slurry Class 'H' tailored for Depth & Temp.

WOC Time 12 hrs. Casing Test 2,000 psi

#### 5. Auxiliary Equipment

Mud Logging Unit @	<u>2000'</u>	Rotating Head @	<u>-</u>
Geograph @	<u>Spud</u>	Degasser @	<u>3,000'</u>
Visulogger @	<u>-</u>	Desilter @	<u>Spud</u>
Adj. Choke @	<u>500'</u>	Centrifuge @	<u>-</u>
PVT & Flowmeter @	<u>Spud</u>	Mud Cleaner @	<u>Spud</u>
Trip Tank @	<u>Spud</u>	H <sub>2</sub> S Safety Equip. @	<u>-</u>

Other: Full opening D.P. Safety Valve, Inside BOP, Upper & Lower Kelly Cock Valves @ Spud

#### 6. Drill String Design

Surface Hole:

BHA 12 1/2" bit, 1-8" DC, Stab, 2-8" DC, XO Stab, 6-3/4" DC's

Drill Pipe 4 1/2" 16.60# E

Intermediate Hole:

BHA N/A

Drill Pipe

Oil String/Liner Hole:

BHA 8-3/4" bit, 6-3/4" DC's

Drill Pipe 4 1/2" 16.60# E

#### 7. Other

Inspect BHA after 200 rotating hours.

In "straight" holes run inclination surveys every +500 feet.

Gyro Surveys N/A

Check drilling breaks for flow below 3000 feet.

Fill drill pipe every 20 stds when running float.

#### 8. General Remarks

Attached

#### 9. Geologic Program

Attached

Prepared By M. H. H.

Date 9/2/84

Drilling Superintendent M. H. H.

Date 9/2/84

84-31

10/8/84

DRILL

G R W INFIL WELLS

GEOLOGIC PROGRAMField/Area Red Wash Expl/Dev DevelopmentWell Name RWU #294 (24-18C)

Location: Sec 18 TWP 7S Range 24E  
 Co Uintah State Utah  
 Surface 660' ESL 1836' FWL SE $\frac{1}{4}$ , SW $\frac{1}{4}$   
 Bottom Hole

Elevation: GL estimated 5643' Surveyed 5658'  
 KB estimated 5663' Surveyed 5678'

Total Depth 5700' Fm at TD Wasatch

Objectives: Primary Green River Formation  
 Secondary Wasatch

Coring:	Formation	Estimated Depth	Amount
Interval/on show	<u>KB - LF</u>	<u>5241' (+422) to</u>	<u>300</u>
Interval/on show	<u></u>	<u>5541' (+122)</u>	<u></u>
Interval/on show	<u></u>	<u></u>	<u></u>
Interval/on show	<u></u>	<u></u>	<u></u>
Interval/on show	<u></u>	<u></u>	<u></u>

Drill Stem Testing None

Mud Logging 2-Man FID Unit from 2000' to TD  
(possible computer attachments pending results RWU #291)

Electric logging:	Surface	Intermediate	Total Depth
1) DIL-SP	<u></u>	<u></u>	<u>-</u>
2) DIL-MSFL-SP	<u></u>	<u></u>	<u>Casing to TD</u>
3) BHC w/GR, Cal.	<u></u>	<u></u>	<u>-</u>
4) LDT-CNL w/GR, Cal.	<u></u>	<u></u>	<u>2000' to TD</u>
5) FDC-CNL w/GR, Cal.	<u></u>	<u></u>	<u>-</u>
6) Dipmeter	<u></u>	<u></u>	<u>-</u>
7) Velocity survey	<u></u>	<u></u>	<u>-</u>
8) RFT	<u></u>	<u></u>	<u>-</u>
9) EPT	<u></u>	<u></u>	<u>4100' to TD</u>
10) DPT	<u></u>	<u></u>	<u>4100' to TD</u>
11) Microlog	<u></u>	<u></u>	<u>4100' to TD</u>

All runs from TD to either base of surface casing or overlap with previous log run unless otherwise noted.

Cal & GR Run 50' into casing

# GEOLOGIC PROGRAM (Continued)

## Tops:

Formation	Estimated Depth, datum	Sample Depth, datum	Log Depth, datum
Uintah	Surface		
Green River	2765' (+2897)		
H	4626' (+1037)		
I	4801' (+861)		
K	5174' (+489)		
KB	5241' (+422)		
L	5407' (+255)		
Wasatch	5593' (+69)		
TD	5700'		

## Correlation Wells:

### Correlative Zones with Subject Well

	Fm	Interval	
1) RWU #97	Top KB	5288 (+388)	Primary objective
& RWU #235		5171 (+450)	zones to be cored.
			Zone to be DST.
2) RWU #230	Top KB	5299 (+391)	Primary objective
& RWU #236		5182 (+458)	zones to be cored.
			Zones to be DST.

## DIVISION OF INTEREST:

### Working Interest Partners:

Chevron	97.64%	Gulf	1.180%	Buttram	0.885%
Caulkins	0.295%				

### Others Receiving Data:


## REMARKS:

Prepared by D. M. Thompson  
 Reviewed by DTW/PSC  
 Formation Evaluation Analyst

Date August 29, 1984  
 Date \_\_\_\_\_

Approved RB Chusky

Date 9/25/84

## DRILLING PROGRAM ATTACHMENT

### GENERAL REMARKS


1. Applicable Federal and State Regulations will be adhered to during the drilling of this well.
2. The drilling rig is to be level and the kelly centered over the hole before drilling operations commence. Check periodically during the drilling of the well to insure the rig stays level.
3. Prior to spud insure all toolpushers, drillers and crews are thoroughly familiar with and understand the Chevron procedure for handling well kicks.

In H<sub>2</sub>S environments Chevron's contingency plan for your location is to be read, understood and adhered to. All personnel are to be thoroughly familiar with the use of air packs, the air supply system, locations of air packs and what to do in the event of sour gas to surface.

4. Test BOPE before drilling out and every seven days thereafter. Perform low pressure test (200 psi) and high pressure test. High pressure test should be 70% of BOPE working pressure or 70% of burst of last casing string, whichever is less. Record BOP tests on Tour Reports. Notify applicable Federal and State Regulatory Agencies 24 hours in advance of BOPE tests and record notification and names on Tour Reports.
5. Do not reuse ring gaskets. Replace with new Rx or Bx ring gaskets.
6. Separate full opening safety valves and inside BOP's are required for each size drill pipe in use. Test weekly with BOPE.
7. Run full open valve below kelly that can be run in the hole if necessary. Do not use this valve as a mud saver sub.
8. BOP controls are to remain in the open position during drilling operations.
9. Hold pit drills for each crew at least once every seven days and record on Tour Reports.
10. On trips fill the annulus before hydrostatic pressure drops 75 psi or every 5 stds of drill pipe, whichever is first. Use trip tanks to measure hole fill-up and monitor at all times.
11. Use drill pipe floats at all times unless your supervisor instructs otherwise.
12. Have wear ring installed in wellhead before tripping or rotating. Remember to remove wear ring before running casing or when testing BOPE.


13. Casing rams are to be installed and bonnets tested on last trip out before running casing.
14. Run pilot and thickening time tests with rig mixing water for all cement slurries prior to cementing operations.
15. Casing should be tested to 1,500 psi or 0.2 psi/ft., whichever is greater, prior to drilling out and recorded on Tour Reports. Discuss the test pressure with your supervisor and reference DM-49 before testing.
16. Drill out slick beneath each casing string. Drill deep enough to bury stabilization to be picked up.
17. Do not drill with hardbanded pipe inside of casing.
18. Do not run full gauge stabilizers. Run stabilizers 1/16" to 1/8" undergauge.
19. When necessary to work pipe, keep pipe moving up and down. Rotating alone is not considered sufficient.
20. Install and test full lubricator on all logging runs unless instructed otherwise by supervisor.
21. Fully describe damaged or lost equipment on Tour Reports.





**FIGURE 4**  
**THREE PREVENTER HOOKUP**  
**CLASS III**

(PRESSURE RATING 3-5000 PSI AS REQUIRED)



**Chevron U.S.A. Inc.**

**ROCKY MTN. PRODUCTION DIVISION**

**LE 81-7511**  
**Revision 4 (1982)**

**CHEVRON U.S.A. INC.**  
**RED WASH UNIT 294 (24-18C)**  
**SEC. 18, T7S, R24E**  
**UINTAH COUNTY, UTAH**  
**MULTIPOINT SURFACE USE PLAN**

**1. EXISTING ROADS**

- A. See Topo maps "A" and "B". We do not plan to change, alter or improve upon any existing state or county roads.
- B. From Vernal, Utah, take U.S. Hwy. 40, travel east for 3 miles to State Hwy. 45. On Hwy. 45 go 19.3 miles southeast to a paved county road, take this road east for 2.5 miles to the Red Wash Office. From here continue for 2.3 miles east and northeast, then go southeast 0.5 mile and northeast 0.2 mile to the proposed wellsite access.

**2. PLANNED ACCESS ROADS**

The location is going to be adjacent to the existing road. About 200' of new access road will be built to reach the well pad. See Topo Map "B". Existing and planned roads in the Unit will be maintained in accordance with Bureau of Land Management standards.

- A. Width: Maximum width 30' with an 18' travel area.
- B. Maximum Grade: 8% if necessary.
- C. Turnouts: None.
- D. Drainage Design: Roads to be placed and constructed so that minimal drainage alterations will be made. Water will be diverted around well pad as necessary.
- E. No major cuts and fills.
- F. Surfacing Materials: Gravel if necessary (see item 6-A).
- G. Other: No gates, cattleguards or fence cuts. Culverts to be installed where necessary.

**3. LOCATION OF EXISTING WELLS**

See Exhibit "D".

**4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES**

- A. See Exhibit "D".
- B. We will install about 2,900' of new flowline from subject well to collection station "H" as shown on Exhibit "D". Flowline will be 3" plain end welded line pipe, placed on supports on the surface. Normal construction procedures will be used. When warranted, fences, flagging, etc., will be used to protect animals. We will install an electric powerline from the well 150' north to an existing powerline as shown on Exhibit "D".
- C. Disturbed areas no longer needed for operations will be graded back to as near original state as possible. Drainage channels will be returned to original state and the areas will be reseeded as prescribed by BLM personnel.

**MULTIPOINT SURFACE USE PLAN**  
**RED WASH UNIT 294 (24-18C)**  
Page 2

- D. A blooie pit 8' X 10' X 5' deep will be constructed 150' to the northeast of the center hole as shown on Exhibit "C". A line will be placed on the surface from the center hole to the burn pit. The pit will be fenced on four sides to protect livestock.
- E. A line heater will be required for the production from this well. About 100' of access will be needed to service this line heater. This will be adjacent to the pad and placed along the production flowline from this well.

**5. LOCATION AND TYPE OF WATER SUPPLY**

- A. Water supplied to the location will be piped through a temporary surface line from the appropriate collection station or nearest water line. This temporary line will be removed after drilling and completion operations.

**6. SOURCE OF CONSTRUCTION MATERIALS**

- A. All land is Federal land. All gravel, cement, etc., needed on the access road and location will come commercially from the Vernal, Utah area. Access road needed is shown on Topo Map "B".

**7. METHODS FOR HANDLING WASTE DISPOSAL**

- A. Cuttings will be settled out in the reserve pit. The reserve pit will be unlined. It will be fenced with a wire mesh fence, topped with at least one strand of barbed wire.
- B. Drilling fluids will be retained in reserve tanks utilizing maximum recirculation during drilling operations. Following drilling, the liquid waste will be evaporated and the remainder worked into the deep subsoil of the pit, and the pit filled in and returned to natural grade.
- C. In the event fluids are produced, any oil will be retained until sold in tankage and any water produced will be retained until its quality is determined. The quality and quantity of water produced will then determine the necessary disposal procedure.
- D. Sewage will be disposed of in a 1,000 gallon fiber glass insulated holding tank, which is to be placed in the vicinity of the trailers on the well location. Arrangements have been made for the sewage to be transported from the wellsite to the City of Vernal, Utah for disposal in the city disposal system. The sewage will be hauled by an authorized hauling firm.
- E. Trash will be contained in a portable metal container and hauled periodically to an approved disposal dump.

**MULTIPOINT SURFACE USE PLAN**  
**RED WASH UNIT 294 (24-18C)**  
**Page 3**

- F. After the rig has moved from the wellsite, all waste material will be removed to an approved disposal dump.

**8. ANCILLARY FACILITIES**

Because of the accessibility to good roads and relatively close housing, we anticipate no need for ancillary facilities with the exception of two trailers to be located on the drilling location.

**9. WELLSITE LAYOUT**

- A. Between four and six inches of topsoil will be removed from the location and stockpiled on the southwest edge of the location. Location of mud tanks, reserve, blooie pit and trash cage, pipe racks, living facilities and soil stockpiles will be located as shown on Exhibit "C".
- B. Pits will not be lined.

**10. PLANS FOR RESTORATION OF SURFACE**

- A. All surface areas not required for producing operations will be graded to as near original condition as possible and contoured to maintain possible erosion to a minimum. Any rock encountered in excavation will be disposed of beneath backfill to return surface to its present appearance and provide soil for seed growth.
- B. The topsoil will be evenly distributed over the disturbed areas. Reseeding will be performed as directed by the BLM.
- C. Pits and any other area that would present a hazard to wildlife or livestock will be fenced off when the rig is released and removed.
- D. Any oil accumulation on the pit will be removed or overhead flagged as dictated by then existing conditions.
- E. The well will be completed during 1985. Rehabilitation will commence following completion of the well, reseeding to be in accordance with BLM requirements.

**11. SURFACE OWNERSHIP**

- A. The wellsite, access roads, flowlines and powerlines will all be constructed on BLM owned surfaces.

**12. OTHER INFORMATION**

- A. The well is located on hilly and rocky terrain. Vegetation consists of juniper sagebrush, prickly pear, greasewood, hopsage, rabbit

**MULTIPOINT SURFACE USE PLAN**  
**RED WASH UNIT 294 (24-18C)**  
**Page 4**

brush, and cheatgrass around the location. The soil is a poorly developed, semi-arid, thin topsoil layer over the Uintah Formation.

- B. Surface use activities other than the oil well facilities consist of livestock grazing as assigned by BLM.
- C. There are no water bodies or occupied dwellings near the wellsite. No archaeological, historical or cultural sites were found during the field inspection. An archaeological survey has been conducted on the disturbed areas, and a copy of this report has been sent to the BLM.

**13. COMPANY REPRESENTATIVE**

Mr. B. L. Haynes  
P.O. Box 599  
Denver, CO 80201  
(303) 691-7527

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by Chevron U.S.A. Inc. and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved.

11-9-84

Date

B. L. Haynes

B. L. Haynes  
Drilling Manager

LLK:mm


Map "A" - Proposed Location  
Map "B" - Current & Proposed Access Roads  
Exhibit "C" - Location Layout and Cut and Fill  
Exhibit "D" - Existing Wells and Existing and Proposed Facilities

HEVRON U.S.A. INC.  
RED WASH UNIT #294 (24-18C)  
PROPOSED LOCATION

TOPO.

MAP "A"

SCALE 1" = 4 MI.



2.9 MI.

REDWASH

PROPOSED  
LOCATION

CHEYENNE AND ARAPAHOE INDIAN RESERVATION


COLORADO

COYOTE BASIN

Underground pipeline

Little Bonanza

Coking plant



RED WASH, UTAH

PROPOSED ACCESS ROAD

PROPOSED LOCATION  
RED WASH UNIT #294 (24-18C)

CHEVRON U.S.A. INC.  
RED WASH UNIT # 294  
(24-18C)

PROPOSED LOCATION


TOPO.

MAP "B"

SCALE 1" = 2000'

ROAD CLASSIFICATION

Light duty road, all weather, improved surface  
Unimproved road fair or dry weather





QUADRANGLE LOCATION

T 7 S  
T 8 S



CHEVRON U.S.A. INC.  
RED WASH UNIT #294 (2A-FIB-C)  
EXHIBIT 'C'




APPROX. YARDAGES

CUT 17,095 Cu. YDS  
FILL 11,453 Cu. YDS


YARDAGES INCLUDE PIT

SCALES  
1" = 50'

SCALE 1" = 50'  
DATE 10/29/84







R 24 E

EXHIBIT "D"

CHEVRON U.S.A. INC.  
RED WASH UNIT 294 (24-18C)  
SEC. 18, T7S, R24E (SESW)  
UINTAH COUNTY, UTAH

- PROPOSED POWER LINE
- PROPOSED FLOW LINE



STATE OF UTAH  
NATURAL RESOURCES & ENERGY  
Water Rights

Scott M. Matheson, Governor  
Temple A. Reynolds, Executive Director  
Dee C. Hansen, State Engineer

23 East Main Street • P.O. Box 879 • Vernal, UT 84073 • 801-789-3714

November 13, 1984

Chevron U. S. A. Inc.  
P. O. Box 599  
Denver, Colorado 80201

RE: Temporary Change 84-49-80

Gentlemen:

The above numbered Temporary Change Application has been approved, subject to prior rights.

A copy is herewith returned to you for your records and future reference.

Sincerely yours,

Robert F. Guy  
for Dee C. Hansen, P. E.  
State Engineer

DCH:RFG/ln

Enclosure

cc: Oil, Gas & Mining  
Salt Lake City, Utah 84114

APPLICATION NO. 84-49-80  
DISTRIBUTION SYSTEM.

# Application For Temporary Change of Point of Diversion, Place or Purpose of Use STATE OF UTAH

(To Be Filed in Duplicate)

Denver, Colorado November 5 1984  
Place Date

For the purpose of obtaining permission to temporarily change the point of diversion, place or purpose of use  
(Strike out written matter not needed)

of water, the right to the use of which was acquired by 49-228 (A31850)  
(Give No. of application, title and date of Decree and Award No.)  
to that hereinafter described, application is hereby made to the State Engineer, based upon the following showing of  
facts, submitted in accordance with the requirements of the Laws of Utah.

1. The owner of right or application is Chevron U.S.A. Inc.
2. The name of the person making this application is Chevron U.S.A. Inc.
3. The post office address of the applicant is P.O. Box 599, Denver, CO 80201

## PAST USE OF WATER

4. The flow of water which has been used in second feet is 1.0
5. The quantity of water which has been used in acre feet is
6. The water has been used each year from January 1 to December 31, incl.  
(Month) (Day) (Month) (Day)
7. The water has been stored each year from            to           , incl.  
(Month) (Day) (Month) (Day)
8. The direct source of supply is 13 wells in Uintah County.
9. The water has been diverted into pipe lines ditch canal at a point located SEE APPLICATION
10. The water involved has been used for the following purpose: Secondary recovery, oil field  
repressurization, and oil and gas operations.

Total            acres.  
NOTE: If for irrigation, give legal subdivisions of land and total acreage which has been irrigated. If for other purposes, give place and purpose of use.

## THE FOLLOWING TEMPORARY CHANGES ARE PROPOSED

11. The flow of water to be changed in cubic feet per second is
12. The quantity of water to be changed in acre-feet is 3.0
13. The water will be diverted into the pipe line ditch canal at a point located N. 1980' W. 1980'  
from SE Cor. Sec. 23, T7S, R23E, SLB&M
14. The change will be made from November 15 19 84 to November 15 19 85  
(Period must not exceed one year)
15. The reasons for the change are Oil Well Drilling
16. The water involved herein has heretofore been temporarily changed            years prior to this application.  
(List years change has been made)
17. The water involved is to be used for the following purpose: Drilling of Chevron Well #294 in  
Sec. 18, T7S, R24E, SLB&M (SE $\frac{1}{4}$ SW $\frac{1}{4}$ ) Red Wash Unit.

Total            acres.  
NOTE: If for irrigation, give legal subdivisions of land to be irrigated. If for other purposes, give place and purpose of proposed use.

## EXPLANATORY

A filing fee in the sum of \$7.50 is submitted herewith. I agree to pay an additional fee for either investigating or advertising this change, or both, upon the request of the State Engineer. Chevron U.S.A. Inc.

By JJH

Signature of Applicant

## RULES AND REGULATIONS

(Read Carefully)

This application blank is to be used only for temporary change of point of diversion, place or nature of use for a definitely fixed period not to exceed one year. If a permanent change is desired, request proper application blanks from the State Engineer.

Application for temporary change must be filed in duplicate, accompanied by a filing fee of \$7.50 Where the water affected is under supervision of a Water Commissioner, appointed by the State Engineer, time will be saved if the Application is filed with the Commissioner, who will promptly investigate the proposed change and forward both copies with filing fee and his report to the State Engineer. Applications filed directly with the State Engineer will be mailed to the Water Commissioner for investigation and report. If there be no Water Commissioner on the source, the Application must be filed with the State Engineer.

When the State Engineer finds that the change will not impair the rights of others he will authorize the change to be made. If he shall find, either by his own investigation or otherwise, that the change sought might impair existing rights he shall give notice to persons whose rights might be affected and shall give them opportunity to be heard before acting upon the Application. Such notice shall be given five days before the hearing either by regular mail or by one publication in a newspaper. Before making an investigation or giving notice the State Engineer will require the applicant to deposit a sum of money sufficient to pay the expenses thereof.

Address all communications to:

State Engineer  
State Capitol Building  
Salt Lake City, Utah

### STATE ENGINEER'S ENDORSEMENTS

(Not to be filled in by applicant)

Change Application No. ....

(River System)

1. .... Application received by Water Commissioner .....  
(Name of Commissioner)  
Recommendation of Commissioner .....
2. 11/19/84 Application received over counter in State Engineer's Office by .....  
by mail
3. .... Fee for filing application, \$7.50 received by ..... ; Rec. No. ....
4. .... Application returned, with letter, to ..... , for correction.
5. .... Corrected application resubmitted over counter to State Engineer's Office.  
by mail
6. .... Fee for investigation requested \$.....
7. .... Fee for investigation \$..... , received by ..... ; Rec. No. ....
8. .... Investigation made by ..... ; Recommendations: .....
9. .... Fee for giving notice requested \$.....
10. .... Fee for giving notice \$..... , received by ..... ; Rec. No. ....
11. .... Application approved for advertising by publication by .....  
mail
12. .... Notice published in.....
13. .... Notice of pending change application mailed to interested parties by ..... as follows:  
.....  
.....
14. .... Change application protested by .....  
(Date Received and Name)
15. .... Hearing set for ..... , at .....
16. Nov 13, 1984 Application recommended for ~~rejection~~ approval by RFJ
17. Nov 13, 1984 Change Application ~~rejected~~ approved and returned to .....

THIS APPLICATION IS APPROVED SUBJECT TO THE FOLLOWING CONDITIONS:

1. ....
2. ....
3. ....

Robert J. Lee  
State Engineer

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for ~~well~~ <sup>proposals</sup>.)

1. oil well ☒ gas well ☐ other ☐

2. NAME OF OPERATOR  
Chevron U.S.A. Inc.

3. ADDRESS OF OPERATOR  
P. O. Box 599, Denver, CO 80201

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 660' FSL & 1836' FWL (SESW)  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐  
FRACTURE TREAT ☐  
SHOOT OR ACIDIZE ☐  
REPAIR WELL ☐  
PULL OR ALTER CASING ☐  
MULTIPLE COMPLETE ☐  
CHANGE ZONES ☐  
ABANDON\* ☐

(other) Revise 13 Point Plan

SUBSEQUENT REPORT OF

☐  
☐  
☐  
☐  
☐  
☐  
☐  
☐  
☐  
☐

**RECEIVED**  
NOV 23 1984

DIVISION OF  
OIL, GAS & MINING

5. LEASE  
U-02148

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME  
Red Wash

8. FARM OR LEASE NAME

9. WELL NO.  
294 (24-18C)

10. FIELD OR WILDCAT NAME  
Red Wash - Lower Green River

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 18, T7S, R24E

12. COUNTY OR PARISH 13. STATE  
Uintah Utah

14. API NO.  
Not yet assigned

15. ELEVATIONS (SHOW DF, KDB, AND WD)

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Please correct A.P.D. to show R24E.

5. LOCATION AND TYPE OF WATER SUPPLY

A. Water supplied to the location will be hauled by truck from the appropriate collection station.

B. Water will be transported over existing and proposed access roads in the area.

LLK:stl

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature] TITLE Engineering Asst. DATE Nov. 21, 1984

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for ~~well proposals~~.)

1. oil well ☒ gas well ☐ other
- 
2. NAME OF OPERATOR  
Chevron U.S.A. Inc.
- 
3. ADDRESS OF OPERATOR  
P. O. Box 599, Denver, CO 80201
- 
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 660' FSL & 1836' FWL (SESW)  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:
- 
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

5. LEASE  
U-02148
- 
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
- 
7. UNIT AGREEMENT NAME  
Red Wash
- 
8. FARM OR LEASE NAME
- 
9. WELL NO.  
294 (24-18C)
- 
10. FIELD OR WILDCAT NAME  
Red Wash - Lower Green River
- 
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec. 18, T7S, R24E
- 
- |                                |                   |
|--------------------------------|-------------------|
| 12. COUNTY OR PARISH<br>Uintah | 13. STATE<br>Utah |
|--------------------------------|-------------------|
- 
14. API NO.  
Not yet assigned
- 
15. ELEVATIONS (SHOW DF, KDB, AND WD)

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>
(other) <u>Revise 13 Point</u>	

SUBSEQUENT REPORT OF

□ □ □ □ □ □ □ □

(other) Revise 13 Point Plan

RECEIVED  
NOV 23 1994

## DIVISION OF OIL, GAS & MINING

Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Please correct A.P.D. to show R24E.

## 5. LOCATION AND TYPE OF WATER SUPPLY

- A. Water supplied to the location will be hauled by truck from the appropriate collection station.
- B. Water will be transported over existing and proposed access roads in the area.

LLK:stl

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

- 18. I hereby certify that the foregoing is true and correct**

SIGNED *J. J. Kinn* TITLE Engineering Asst. DATE Nov. 21, 1984

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY: \_\_\_\_\_

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for ~~well proposals~~.)

1. oil ☒ well gas ☐ well other ☐  
2. NAME OF OPERATOR  
Chevron U.S.A. Inc.  
3. ADDRESS OF OPERATOR  
P. O. Box 599, Denver, CO 80201  
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 660' FSL & 1836' FWL (SESW)  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF	<input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>	<input type="checkbox"/>

(other) Revise 13 Point Plan

5. LEASE  
U-02148  
6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
7. UNIT AGREEMENT NAME  
Red Wash  
8. FARM OR LEASE NAME  
9. WELL NO.  
294 (24-18C)  
10. FIELD OR WILDCAT NAME  
Red Wash - Lower Green River  
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec. 18, T7S, R24E  
12. COUNTY OR PARISH  
Uintah  
13. STATE  
Utah  
14. API NO.  
Not yet assigned  
15. ELEVATIONS (SHOW DF, KDB, AND WD)  
GR 5658'

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Please correct A.P.D. to show R24E.

5. LOCATION AND TYPE OF WATER SUPPLY

A. Water supplied to the location will be hauled by truck from the appropriate collection station.

B. Water will be transported over existing and proposed access roads in the area.

LLK:st1

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature] TITLE Engineering Asst. DATE Nov. 21, 1984

(This space for Federal or State office use)

APPROVED BY [Signature] TITLE Area Manager DATE 11/28/84

CONDITIONS OF APPROVAL, IF ANY:

11-55-230

B2M

\*See Instructions on Reverse Side

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Company Chevron USA Inc. Well No. 294 (24-18C)  
Location Sec. 18 T7S R24E Lease No. U-02148  
Onsite Inspection Date 10-31-84

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas Order No. 1, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

A. DRILLING PROGRAM

1. Estimated Depth at Which Oil, Gas, Water, or Other-Mineral Bearing Zones are Anticipated

All fresh water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

2. Pressure Control Equipment

BOP and choke manifold systems will be consistent with API RP 53. Pressure tests will be conducted before drilling out from under all casing strings which are set and cemented in place. Blowout preventer controls will be installed prior to drilling the surface casing plug and will remain in use until the well is completed or abandoned. Preventers will be inspected and operated at least daily to ensure good mechanical working order, and this inspection recorded on the daily drilling report. Preventers will be pressure tested before drilling casing cement plugs.

The District Office should be notified, with sufficient lead time, in order to have a BLM representative on location during pressure testing.

3. Casing Program and Auxiliary Equipment

The District Office should be notified, with sufficient lead time, in order to have a BLM representative on location while running all casing strings and cementing.

4. Mud Program and Circulating Medium

No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.



5. Coring, Logging and Testing Program

Daily drilling and completion reports shall be submitted to this office on a weekly basis.

Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the authorized officer (AO).

6. Other Conditions for the Drilling Program

Please submit reservoir data obtained from 300' core obtainer estimated depth 5,241-5,541.

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

The spud date will be reported orally to the AO within 48 hours after spudding. If the spudding occurs on a weekend or holiday, the report will be submitted on the following regular work day. The oral report will be followed up with a Sundry Notice.

In accordance with Onshore Oil and Gas Order No. 1, this well will be reported on Form 3160-6 "Monthly Report of Operations", starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report will be filed, in duplicate, to the Vernal BLM District Office, 170 South 500 East, Vernal, Utah 84078.

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status.

Such notification will be sent by telegram or other written communication, not later than 5 days following the date on which the well is placed on production.

Pursuant to NTL-2B, with the approval of a District Engineer, produced water may be temporarily disposed of into unlined pits for a period of up to 90 days. During the period so authorized, an application for approval of the permanent disposal method, along with the required water analysis and other information, must be submitted to the District Engineer.

Pursuant to NTL-4A, lessees or operators are authorized to vent/flare gas during initial well evaluation tests, not exceeding a period of 30 days or the production of 50 MMCF of gas, whichever occurs first. An application must be filed with the District Engineer and approval received, for any venting/flaring of gas beyond the initial 30 day or authorized test period.

A schematic facilities diagram as required by 43 CFR 3162.7-2, 3162.7-3, and 3162.7-4 shall be submitted to the appropriate District Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in 43 CFR 3162.7 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-4.

A first production conference will be scheduled within 15 days after receipt of the first production notice.

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the AO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within 30 days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

Pursuant to Onshore Oil and Gas Order No. 1, lessees and operators have the responsibility to see that their exploration, development, production, and construction operations are conducted in a manner which conforms with applicable Federal laws and regulations and with State and local laws and regulations to the extent that such State and local laws are applicable to operations on Federal or Indian lands.

## **B. THIRTEEN POINT SURFACE USE PLAN**

### **7. Location of Tank Batteries and Production Facilities**

All permanent (on site for six months or longer) structures constructed or installed (including oil well pumpjacks) will be painted a flat, non-reflective, earthtone color to match the standard environmental colors, as determined by the Rocky Mountain 5 State Interagency Committee. All facilities will be painted within 6 months of installation. Facilities required to comply with O.S.H.A. (Occupational Safety and Health Act) will be excluded.

Production will be carried by an insulated surface flowline to a collection station as indicated in the APD.

All site security guidelines identified in 43 CFR 3162.7 regulations will be adhered to.

All off-lease storage, off-lease measurement, or commingling on-lease or off-lease will have prior written approval from the AO.

Suitable oil and gas measurement facilities will be installed for the well location. Appropriate tests for meter accuracy will be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District Office. All meter measurement facilities will conform with the API standards for liquid hydrocarbons and the AGA standard for natural gas measurement.

### **8. Source of Construction Material**

The use materials under BLM jurisdiction will conform to 43 CFR 3510.2-3.

### **9. Methods of Handling Waste Disposal**

Burning will not be allowed.

Produced waste water will be confined to an unlined pit for a period not to exceed 90 days after initial production. During the 90 day period, an application for approval of a permanent disposal method and location, along with required water analysis, will be submitted for the AO's approval. Failure to file an application within the time allowed will be considered an incident of noncompliance, and will be grounds for issuing a shut-in order.

## 10. Well Site Layout

The well site layout will be as shown in the layout diagram of the APD.

Reserve pits will be fenced with a wire mesh fence and topped with at least one strand of barbed wire.

## 11. Plans for Restoration of Surface

Immediately upon completion of drilling, the location and surrounding area will be cleared of all debris, materials, trash and junk not required for production. The reserve pit and that portion of the location and access road not needed for production or production facilities will be reclaimed.

Before any dirt work to restore the location takes place, the reserve pit must be completely dry and all cans, barrels, pipe, etc. will be removed.

If the wellsite is to be abandoned, then all disturbed areas will be recontoured to the approximate natural contours.

Prior to reseeding, all disturbed areas, including the access roads, will be scarified and left with a rough surface.

Seed will be broadcast or drilled at a time specified by the BLM. If broadcast, a harrow or some other implement will be dragged over the seeded area to assure seed coverage.

The following seed mix will be used:

Western wheatgrass	2 lbs./acre
Intermediate wheatgrass	2 lbs./acre
Smooth brome	2 lbs./acre
Yellow sweetclover	2 lbs./acre
Fourwing saltbush	2 lbs./acre

## 12. Other Information

There will be no deviation from the proposed drilling and/or work-over program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162.2.

"Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3164.

The dirt contractor will be provided with an approved copy of the surface use plan.

A cultural resource clearance has been obtained for the project. If any cultural resources are found during construction, all work will stop and the A0 will be notified.

This permit will be valid for a period of one year from the date of approval. After permit termination, a new application will be filed for approval for any future operations.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

## APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK DRILL <input checked="" type="checkbox"/> DEEPEN <input type="checkbox"/> PLUG BACK <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. U-02148
b. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/> SINGLE ZONE <input checked="" type="checkbox"/> MULTIPLE ZONE <input type="checkbox"/>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
2. NAME OF OPERATOR Chevron U.S.A. Inc.		7. UNIT AGREEMENT NAME Red Wash
3. ADDRESS OF OPERATOR P. O. Box 599, Denver, CO 80201		8. FARM OR LEASE NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.) At surface 660' FSL & 1836' FWL SESW At proposed prod. zone		9. WELL NO. 294 (24-18C)
14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR PORT OFFICE ±18 miles southeast of Jensen, Utah		10. FIELD AND POOL, OR WILDCAT Lower Red Wash - Green River
15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drilg. unit line, if any) 4650'		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 18, T7S, R23E
16. DISTANCE FROM PROPOSED* LOCATION TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 1250'		12. COUNTY OR PARISH Uintah
17. NO. OF ACRES ASSIGNED TO THIS WELL 40		13. STATE Utah
18. PROPOSED DEPTH 5700'		20. ROTARY OR CABLE TOOLS Rotary
21. ELEVATIONS (Show whether DF, RT, GR, etc.) GR 5658'		22. APPROX. DATE WORK WILL START* January 1985

## 23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
16"	14"		50'	To Surface
12 1/4"	9 5/8"	36#	500'	To Surface
8 3/4"	7"	23#	5700'	To Surface

It is proposed to drill this Development Well to a depth of 5700' to test the Lower Green River Formation. Anticipated BHP: 2470 psi GER

## Attachments:

Certified Plat  
Drilling Program  
Chevron Class III BOPE  
Multisurface Use Plan

Completion Procedure to be submitted by Sundry Notice.  
AFE's have been forwarded to Working Interest Partners.

- 3 - BLM
- 2 - State
- 3 - Partners
- 1 - LRH
- 1 - ALF
- 1 - LJT
- 1 - Geology
- 1 - Sec. 724C
- 1 - Field
- 1 - File

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED [Signature] TITLE Engineering Assistant DATE Nov. 8, 1984  
(This space for Federal or State office use)

PERMIT NO. \_\_\_\_\_ APPROVAL DATE \_\_\_\_\_  
APPROVED BY [Signature] TITLE DISTRICT MANAGER DATE 11-30-84  
CONDITIONS OF APPROVAL, IF ANY: \_\_\_\_\_

NOTICE OF APPROVAL

CONDITIONS OF APPROVAL ATTACHED  
TO OPERATOR'S COPY

Div OG+M

OPERATOR Chevron U.S.A. DATE 12-4-84  
WELL NAME Red Wash Unit # 294 (24-18C)  
SEC SE SW 18 T 7S R 24E COUNTY Huntab

43-047-31582  
API NUMBER

Ind.  
TYPE OF LEASE

CHECK OFF:



PLAT



BOND



NEAREST WELL



LEASE



FIELD



POTASH OR  
OIL SHALE

PROCESSING COMMENTS:

Unit well - & on P.O.D.

Water & -

APPROVAL LETTER:

SPACING:



A-3

Red Wash  
UNIT



C-3-a

CAUSE NO. & DATE



C-3-b




C-3-c

STIPULATIONS:


BWU 294  
24-18C

Sec 18 T75R24E

Hubly 10/25/88



well head ○



pump jack





STATE OF UTAH  
NATURAL RESOURCES  
Oil, Gas & Mining

Scott M. Matheson, Governor  
Temple A. Reynolds, Executive Director  
Dianne R. Nielson, Ph.D., Division Director

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

December 5, 1984

Chevron U.S.A. Inc.  
P. O. Box 599  
Denver, Colorado 80201

Gentlemen:

Re: Well No. Red Wash Unit #294 (24-18C) - SE SW Sec 18, T. 7S, R. 24E  
660' FSL, 1836' FWL - Uintah County, Utah

Approval to drill the above referenced oil well is hereby granted in accordance with Section 40-6-18, Utah Code Annotated, as amended 1983; and predicated on Rule A-3, General Rules and Regulations and Rules of Practice and Procedure.

In addition, the following actions are necessary to fully comply with this approval:


1. Spudding notification to the Division within 24 hours after drilling operations commence.
2. Submittal to the Division of completed Form OGC-8-X, Report of Water Encountered During Drilling.
3. Prompt notification to the Division should you determine that it is necessary to plug and abandon this well. Notify John R. Baza, Petroleum Engineer, (Office) (801) 538-5340, (Home) 298-7695 or R. J. Firth, Associate Director, (Home) 571-6068.
4. Compliance with the requirements and regulations of Rule C-27, Associated Gas Flaring, General Rules and Regulations, Oil and Gas Conservation.

Chevron U.S.A. Inc.  
Well No. Red Wash Unit #294 (24-18C)  
December 5, 1984  
Page 2

5. This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date.

The API number assigned to this well is 43-047-31582.

Sincerely,

A handwritten signature in dark ink, appearing to read 'R. J. Firth', is written over the typed name.

R. J. Firth  
Associate Director, Oil & Gas

as  
Enclosures  
cc: Branch of Fluid Minerals

## DIVISION OF OIL, GAS AND MINING

SPODDING INFORMATION

API #43-047-31582

NAME OF COMPANY: CHEVRONWELL NAME: RED WASH UNIT 294 (24-18C)SECTION SE SW 18 TOWNSHIP 7S RANGE 24E COUNTY UintahDRILLING CONTRACTOR Bill Jr. Rat Hole DrillerRIG # SPUDDED: DATE 1-11-85TIME 6:30 AMHOW DRILLING WILL COMMENCE Manning - Rig #23 (approx. 1-18-85)REPORTED BY JeanTELEPHONE # 303-691-7480DATE 1-15-85 SIGNED AS

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN THE MANNER  
(Other instructions on re-  
verse side)

Budget Bureau No. 1004-0135  
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO. 2

U-02148

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Red Wash

8. FARM OR LEASE NAME

9. WELL NO.

294 (24-18C)

10. FIELD AND POOL, OR WILDCAT

Red Wash-Green River

11. SEC., T., R., M., OR BLM. AND  
SURVEY OR AREA

Sec. 18, T7S, R24E

12. COUNTY OR PARISH 13. STATE

Uintah

Utah

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR  
CHEVRON U.S.A. Inc.

3. ADDRESS OF OPERATOR  
P. O. Box 599, Denver, CO 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*  
See also space 17 below.)  
At surface

660' FSL & 1836' FWL (SESW)

14. PERMIT NO.

31582

15. ELEVATIONS (Show whether DF, WT, GR, etc.)

5658' GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

(Other) ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

ABANDON\* ☐

CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐

FRACTURE TREATMENT ☐

SHOOTING OR ACIDIZING ☐

(Other) ☐

REPAIRING WELL ☐

ALTERING CASING ☐

ABANDONMENT\* ☐

Spud

(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Subject well was spudded at 6:30 a.m. on January 11, 1985 by Bill Jr.'s Rat Hole Drilling, Inc. Conductor pipe (16") was set at 50'.

R. L. Manning will move rig #23 onto location, when finished with Red Wash Unit 297, to complete the drilling of subject well.

RECEIVED  
JAN 18 1985

DIVISION OF  
OIL, GAS & MINING

3 - BLM  
2 - State  
1 - File

18. I hereby certify that the foregoing is true and correct

SIGNED

*[Signature]*

TITLE Engineering Asst.

DATE January 16, 1985

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions on Reverse Side

BLOW OUT PREVENTION TEST

NAME OF COMPANY: Chevron

WELL NAME: Red Wash 24-18C

SECTION: 18 TOWNSHIP 17S RANGE 24E COUNTY: Uintah

DRILLING CONTRACTOR: Manning #23

RIG # #23

BOP TEST: DATE: 1/19/85

TIME: Midnight

DRILLING: \_\_\_\_\_

CASING: \_\_\_\_\_

H<sub>2</sub>S: \_\_\_\_\_

REPORTED BY: Alvin Blanding

TELEPHONE NO. \_\_\_\_\_

DATE: 1/18/85

SIGNED DS

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

Form 3160-6  
(November 1983)  
(Formerly 9-329)

MONTHLY REPORT  
OF  
OPERATIONS

Lease No. U-02148  
Communitization Agreement No. \_\_\_\_\_  
Field Name Red Wash  
Unit Name \_\_\_\_\_  
Participating Area \_\_\_\_\_  
County Uintah State Utah  
Operator Chevron U.S.A. Inc.  
☐ Amended Report

The following is a correct report of operations and production (including status of all unplugged wells) for the month of January, 19 85

(See Reverse of Form for Instructions)

This report is required by law (30 U.S.C. 189, 30 U.S.C. 359, 25 U.S.C. 396d), regulation (43 CFR 3162.4-3), and the terms of the lease. Failure to report can result in the assessment of liquidated damages, (43 CFR 3160), penalties, shutting down operations, or basis for recommendation to cancel the lease and forfeit the bond (43 CFR 3160).

Well No.	Sec. & 1/4 of 1/4	TWP	RNG	Well Status	Days Prod.	*Barrels of Oil	*MCF of Gas	*Barrels of Water	Remarks
294 (24-18C)	18 SESW	7S	24E	Drlg.	0	0	0	0	TD: 5388'

\*If none, so state.

DISPOSITION OF PRODUCTION (Lease, Participating Area, or Communitized Area basis)

	Oil & Condensate (BBLS)	Gas (MCF)	Water (BBLS)
*On hand, Start of Month	<u>0</u>	<u>XXXXXXXXXXXXXXXXXX</u>	<u>XXXXXXXXXXXXXXXXXX</u>
*Produced	<u>0</u>	<u>0</u>	<u>0</u>
*Sold	<u>0</u>	<u>0</u>	<u>XXXXXXXXXXXXXXXXXX</u>
*Spilled or Lost	<u>0</u>	<u>XXXXXXXXXXXXXXXXXX</u>	<u>XXXXXXXXXXXXXXXXXX</u>
*Flared or Vented	<u>XXXXXXXXXXXXXXXXXX</u>	<u>0</u>	<u>XXXXXXXXXXXXXXXXXX</u>
*Used on Lease	<u>0</u>	<u>0</u>	<u>XXXXXXXXXXXXXXXXXX</u>
*Injected	<u>0</u>	<u>0</u>	<u>0</u>
*Surface Pits	<u>XXXXXXXXXXXXXXXXXX</u>	<u>XXXXXXXXXXXXXXXXXX</u>	<u>0</u>
*Other (Identify)	<u>0</u>	<u>0</u>	<u>0</u>
*On hand, End of Month	<u>0</u>	<u>XXXXXXXXXXXXXXXXXX</u>	<u>XXXXXXXXXXXXXXXXXX</u>
*API Gravity/BTU Content	<u>-</u>	<u>0</u>	<u>XXXXXXXXXXXXXXXXXX</u>

Authorized Signature: Arlene F. Bush Address: P. O. Box 599, Denver, CO 80201  
Title: Engineering Assistant Page \_\_\_\_\_ of \_\_\_\_\_

Form 3160-6  
(November 1983)  
(Formerly 9-329)

Lease No. U-148  
Communitization Agreement No. \_\_\_\_\_  
Field Name \_\_\_\_\_  
Unit Name Red Wash  
Participating Area \_\_\_\_\_  
County Uintah State Utah  
Operator Chevron U.S.A. Inc.  
☐ Amended Report

Form 3160-6  
(November 1983)  
(Formerly 9-329)

The following is a correct report of operations and production (including status of all unplugged wells) for the month of March, 1985

**This report is required by law (30 U.S.C. 189, 30 U.S.C. 359, 25 U.S.C. 396d), regulation (43 CFR 3162.4-3), and the terms of the lease. Failure to report can result in the assessment of liquidated damages, (43 CFR 3160), penalties, shutting down operations, or basis for recommendation to cancel the lease and forfeit the bond (43 CFR 3160).**

	Oil & Condensate (BBLs)	Gas (Mcf)	Water (BBLs)
*On hand, Start of Month	0	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX
*Produced	0	0	0
*Sold	0	0	XXXXXXXXXXXXXXXXXXXX
*Spilled or Lost	0	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX
*Flared or Vented	XXXXXXXXXXXXXXXXXXXX	0	XXXXXXXXXXXXXXXXXXXX
*Used on Lease	0	0	XXXXXXXXXXXXXXXXXXXX
*Injected	0	0	0
*Surface Pits	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	0
*Other (Identify)	0	0	0
*On hand, End of Month	0	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX
*API Gravity/BTU Content	-	0	XXXXXXXXXXXXXXXXXXXX

Page \_\_\_\_\_ of \_\_\_\_\_

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPlicate\*  
(Other instructions on re-  
verse side)

Budget Bureau No. 1004-0135  
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.

U-02148

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Red Wash

8. FARM OR LEASE NAME

9. WELL NO.

294 (24-18C)

10. FIELD AND POOL, OR WILDCAT

Red Wash-Lower Green River

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

Sec. 18, T7S, R24E

12. COUNTY OR PARISH

Uintah

13. STATE

Utah

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

CHEVRON U.S.A. INC.

3. ADDRESS OF OPERATOR

P. O. BOX 599, DENVER, CO 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State regulations.  
See also space 17 below.)  
At surface

660 FSL & 1836 FWL SESW

14. PERMIT NO.

43-047-31582

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

5658' GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐

PULL OR ALTER CASING ☐

FRACTURE TREAT ☐

MULTIPLE COMPLETE ☐

SHOOT OR ACIDIZE ☐

ABANDON\* ☐

REPAIR WELL ☐

CHANGE PLANS ☐

(Other) Status Report ☒

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐

REPAIRING WELL ☐

FRACTURE TREATMENT ☐

ALTERING CASING ☐

SHOOTING OR ACIDIZING ☐

ABANDONMENT\* ☐

(Other) ☐

(NOTE: Report results of multiple completion or Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any  
proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones perti-  
nent to this work.)\*

Well was drilled to a depth of 5,700' with 7" casing set at 5698'. R. L. Manning  
Rig No. 23 was released on February 5, 1985. Western Oil Well Company Rig No. 18  
will move onto location to complete well.

Well will be perforated in the Lower Green River Formation. Treatment will consist  
of three frac stimulations.

18. I hereby certify that the foregoing is true and correct

SIGNED

*R. L. Manning*

TITLE

Permit Coordinator

DATE

March 15, 1985

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions on Reverse Side

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE  
(See other instructions on reverse side)

Form approved.  
Budget Bureau No. 1004-0137  
Expires August 31, 1985

WELL COMPLETION OR RECOMPLETION REPORT AND LOG \*

1a. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ Other \_\_\_\_\_  
b. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. ENVR. ☐

2. NAME OF OPERATOR  
CHEVRON U.S.A. INC.

3. ADDRESS OF OPERATOR  
P. O. BOX 599, DENVER, CO 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)  
At surface 660' FSL & 1836' FWL (SESW)  
At top prod. interval reported below  
At total depth Straight Hole

14. PERMIT NO. 43-047-31582  
DATE ISSUED 12-5-84

15. DATE SPUDDED 1-11-85  
16. DATE T.D. REACHED 2-3-85  
17. DATE COMPL. (Ready to prod.) 3-29-85  
18. ELEVATIONS (DF, RKB, RT, GR, ETC.)\* 5673 KB  
19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD 5700'  
21. PLUG, BACK T.D., MD & TVD 5605'  
22. IF MULTIPLE COMPL., HOW MANY\*  
23. INTERVALS DRILLED BY  
ROTARY TOOLS ALL  
CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)\*  
4970 - 5542 Lower Green River  
25. WAS DIRECTIONAL SURVEY MADE NO

26. TYPE ELECTRIC AND OTHER LOGS RUN  
WELEX DIGI - GR: MICROLOG DSN-GR-CAL CBL  
27. WAS WELL CORRED yes

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
16"	65	50'	24	Redi-Mix to surface	
9-5/8"	36	500'	12-1/4"	250 sxs, "H"-2% CaCl <sub>2</sub> to surface	
7"	23 & 26	5698'	8-3/4"	850 sx 65/35 Pozmix and 260 sx "H"	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-7/8"	4847'	

31. PERFORATION RECORD (Interval, size and number)

SEE ATTACHED

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
SEE ATTACHMENT	

33.\* PRODUCTION

DATE FIRST PRODUCTION 4/3/85  
PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Rod Pump 1-3/4 X 144 X 9-1/2 SPM  
WELL STATUS (Producing or shut-in) Producing

DATE OF TEST 4/6 thru 4/8  
HOURS TESTED 72  
CHOKE SIZE  
PROD'N. FOR TEST PERIOD  
OIL—BBL. 101  
GAS—MCF. 2742  
WATER—BBL. 862  
GAS-OIL RATIO 27149  
FLOW. TUBING PRESS. CASING PRESSURE 160 psig  
CALCULATED 24-HOUR RATE  
OIL—BBL. 34  
GAS—MCF. 914  
WATER—BBL. 287  
OIL GRAVITY-API (CORR.) 28°

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

SOLD

TEST WITNESSED BY

L. R. Hamilton

35. LIST OF ATTACHMENTS

Perforation and frac details

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

TITLE

Permit Coordinator

DATE

April 25, 1985

\*(See Instructions and Spaces for Additional Data on Reverse Side)

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.
Uintah Fm	Surface	2780	Interbedded white, fluvial sandstone & red flood plain shale & siltstone
Green River Fm	2780	5606	Interbedded white, quartz-rich sandstone & olive-gray shale
Wasatch Fm	5606	5700+	Interbedded white, quartz-rich sandstone & gray-red shale
Numerous porous zones occur throughout the section. Fluid content is variable, ranging from formation water to residual oil to oil & gas.			
CORE	DRILLED DEPTHS		
Green River Fm	5250	5309	SEE ABOVE
	5309	5369	
	5369	5377	
	5377	5437	
	5437	5497	
	5497	5557	

38.

# GEOLOGIC MARKERS

NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH
Green River Fm	2780'	2780'
Wasatch Fm	5606'	5606'

PERFORATION DETAIL

5406-5408	2 shots/ft.
5413-5419	2 shots/ft.
5425-5430	2 shots/ft.
5438-5440	2 shots/ft.
5444-5446	2 shots/ft.
5450-5452	2 shots/ft.
5460-5464	2 shots/ft.
5470-5474	2 shots/ft.
5498-5500	2 shots/ft.
5532-5535	2 shots/ft.
5539-5542	2 shots/ft.
5143-5147	2 shots/ft.
5149-5153	2 shots/ft.
5203-5207	2 shots/ft.
5228-5234	2 shots/ft.
4970-4980	2 shots/ft.

FRAC DETAIL

5406-5542	45,000 gals gelled frac fluid with 94,000# 20/40 sand and 49,000# 10/20 sand.
5143-5147	31,000 gals. gelled frac fluid with 70,000# 20/40 sand and 35,000# 10/20 sand.
4970-4980	7,500 gals. gelled frac fluid with 12,000# 20/40 sand.

FILE IN TRIPLICATE  
FORM OGC-8-X

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING  
1588 West North Temple  
Salt Lake City, Utah 84116

\*REPORT OF WATER ENCOUNTERED DURING DRILLING\*

Well Name & Number Red Wash Unit 294 24-18C  
Operator Chevron U.S.A. Inc. Address P. O. Box 599, Denver, CO 80201  
1700 Broadway, Suite 2200  
Contractor R. L. Manning Co. Address Denver, CO 80290  
Location SE ¼ SW ¼ Sec. 18 T. 7S R. 24E County Uintah

Water Sands

	<u>Depth</u>	<u>Volume</u>	<u>Quality</u>
	From To	Flow Rate or Head	Fresh or Salty
1.	<u>None Reported</u>		
2.	<u></u>		
3.	<u></u>		
4.	<u></u>		
5.	<u></u>		

(Continue of reverse side if necessary)

Formation Tops

Remarks

- NOTE: (a) Report on this form as provided for in Rule C-20, General Rules and Regulations and Rules of Practice and Procedure.
- (b) If a water analysis has been made of the above reported zone, please forward a copy along with this form.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0133  
Expires September 30, 1990

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well

☐ Gas Well

☒ Other "H" Station

2. Name of Operator

Chevron U.S.A. Inc., Room 13097

3. Address and Telephone No.

P.O. Box 599, Denver, CO 80201 (303) 930-3691

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

NE $\frac{1}{4}$  SE $\frac{1}{4}$   
Sec. 13, T7S, R23E T7S R24E S18

5. Lease Designation and Serial No.

U-081

6. If Indian, Allottee or Tribe Name

7. If Unit or Co. Agreement Designation

Red Wash

8. Well Name and No.

"H" Station

RWU # 294

9. API Well No.

4304731582

POW

10. Field and Pool, or Exploratory Area

Red Wash

11. County or Parish, State

Uintah, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☒ Notice of Intent

☐ Subsequent Report

☐ Final Abandonment Notice

TYPE OF ACTION

☐ Abandonment

☐ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☒ Other

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut-Off

☐ Conversion to Injection

Venting

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

It may be necessary to vent all produced gas at "H" Station due to CO<sub>2</sub> breakthrough at the following locations: 32-13B, 42-13B, 12-18C, 22-18C, 23-18C, 34-18C, 24-18C, 14-18C, 44-13B, 34-13B, 21-24B, 24-13B, 23-13B, 33-13B. This is needed to prevent loss of gas sales due to an off-spec. situation. The gas would need to be vented until the CO<sub>2</sub> levels subside enough to allow the gas to be returned to the system.

A subsequent report of total volumes will follow.

ACCEPTED BY THE STATE  
OF UTAH DIVISION OF  
OIL, GAS, AND MINING

DATE:

BY:

3-BLM  
3-State  
1-JRB  
1-GAP  
1-Cent. File  
1-JLW

Federal approval of this action is required before commencing operations.

14. I hereby certify that the foregoing is true and correct

Signed

*[Signature]*

Title

Technical Assistant

Date 9/21/90

(This space for Federal or State office use)

Approved by

Conditions of approval, if any:

Title

Date

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well  
☐ Oil Well ☐ Gas Well ☒ Other

2. Name of Operator  
Chevron U.S.A. Inc.

3. Address and Telephone No.  
P.O. Box 455, Vernal, Utah 84078 (801) 789-2442

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
660' FSL, 1836' FWL-SEC.18-T7S-R24E

5. Lease Designation and Serial No.  
U-02148

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation  
Red Wash Unit

8. Well Name and No.  
RWU #294 (24-18C)

9. API Well No.  
43-047-31582

10. Field and Pool, or Exploratory Area  
Red Wash-Grn. River

11. County or Parish, State  
Uintah, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent  
☐ Subsequent Report  
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment  
☒ Recompletion  
☒ Plugging Back  
☐ Casing Repair  
☐ Altering Casing  
☐ Other \_\_\_\_\_
- ☐ Change of Plans  
☐ New Construction  
☐ Non-Routine Fracturing  
☐ Water Shut-Off  
☐ Conversion to Injection  
☐ Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

We propose to recomplete the subject oil producer to a flowing gas producer as follows:

1. Clean out to 4900' with bit and scraper.
2. Set CIBP at 4900' and dump bail 35' of cement on top.
3. Hydrotest tubing to 5500 PSI. Set packer at 4400' and pressure test.
4. Perforate the following zones with 3 JSPF: 4718-4728' (Hc), 4478-4482' (Ge), 4464-4470' (Gd), 4444-4454' (Gb/Gc).
5. Swab/flow test well. RTP.

RECEIVED

JUN 07 1993

DIVISION OF  
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct

Signed

Title

Date

06/02/93

(This space for Federal or State office use)

Approved by:

Title

Date

Conditions of approval, if any:

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well  
☐ Oil ☐ Gas  
☐ Well ☐ Well ☒ Other

2. Name of Operator  
Chevron U.S.A. Inc.

3. Address and Telephone No.  
P.O. Box 455, Vernal, Utah 84078 (801) 789-2442

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
660' FSL, 1836' FWL, SEC. 18-T7S-R24E

RECEIVED

SEP 17 1993

DIVISION OF  
OIL, GAS & MINING

5. Lease Designation and Serial No.  
U-02148

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation  
Red Wash Unit

8. Well Name and No.  
RWU #294 (24-18C)

9. API Well No.  
43-047-31582

10. Field and Pool, or Exploratory Area  
Red Wash-Grn. River

11. County or Parish, State  
Uintah, Utah

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input checked="" type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Other _____	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give 2. subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

The following work to recomplate the subject oil producer to a flowing gas producer was completed between 08/24-08/25/93:

1. Perforated the following zones with 3 JSPF: 4718-4728' (Hc), 4478-4482' (Ge), 4464-4470 (Gd), 4444-4454' (Gb/Gc).
2. Return well to production.

14. I hereby certify that the foregoing is true and correct

Signed

Title

Date

09/15/93

(This space for Federal or State office use)

Approved by:

Title

Date

Conditions of approval, if any:



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir

Use "APPLICATION FOR PERMIT--" for such proposals

***SUBMIT IN TRIPLICATE***

1. Type of Well

Oil

Gas

☐

Well

☐

Well

☒

Other

MULTIPLE WELLS SEE ATTACHED LIST

2. Name of Operator

CHEVRON U.S.A. INC.

3. Address and Telephone No

11002 E. 17500 S. VERNAL, UT 84078-8526

(801) 781-4300

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

5. Lease Designation and Serial No.

6. If Indian, Allottee or Tribe Name

N/A

7. If Unit or CA, Agreement Designation

RED WASH UNIT

I-SEC NO 761

8. Well Name and No.

9. API Well No.

10. Field and Pool, or Exploratory Area

RED WASH - GREEN RIVER

11. County or Parish, State

UINTAH, UTAH

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐

Notice of Intent

☒

Subsequent Report

☐

Final Abandonment Notice

TYPE OF ACTION

☐

Abandonment

☐

Recompletion

☐

Plugging Back

☐

Casing Repair

☐

Altering Casing

☒

Other CHANGE OF OPERATOR

☐

Change of Plans

☐

New Construction

☐

Non-Routine Fracturing

☐

Water Shut-Off

☐

Conversion to Injection

☐

Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

As of January 1, 2000 Chevron U.S.A. INC. resigns as Operator of the Red Wash Unit.  
The Unit Number is I-SEC NO 761 effective October 31, 1950.

The successor operator under the Unit Agreement will be  
Shenandoah Energy Inc.  
475 17th Street, Suite 1000  
Denver, CO 80202

Agreed and accepted to this 29th day of December, 1999

Shenandoah Energy Inc.

By:

*M. L. Solich*  
Mitchell L. Solich  
President

RECEIVED

DEC 30 1999

DIVISION OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct.

Signed A. E. Wacker

Title Assistant Secretary

Date 12/29/99

(This space for Federal or State office use)

Approved by:

Title

Date

Conditions of approval, if any

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*See Instruction on Reverse Side



# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155

# RECEIVED

FEB 07 2000

DIVISION OF  
OIL, GAS AND MINING

IN REPLY REFER TO  
UT-931

February 4, 2000

Shenandoah Energy Inc.  
Attn: Rae Cusimano  
475 17<sup>th</sup> Street, Suite 1000  
Denver, Colorado 80202

Re: Red Wash Unit  
Uintah County, Utah

Gentlemen:

On December 30, 1999, we received an indenture whereby Chevron U.S.A. Inc. resigned as Unit Operator and Shenandoah Energy Inc. was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 4, 2000. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Red Wash Unit Agreement.

Your statewide (Utah) oil and gas bond No. 0969 will be used to cover all operations within the Red Wash Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks  
Chief, Branch of Fluid Minerals

Enclosure

cc: Chevron U.S.A. Inc.

bcc: Field Manager - Vernal (w/enclosure)  
Division of Oil, Gas & Mining  
Minerals Adjudication Group U-932  
File - Red Wash Unit (w/enclosure)  
MMS - Data Management Division  
Agr. Sec. Chron  
Fluid Chron

UT931:TAThompson:tt:2/4/00

Well Status Report  
Utah State Office  
Bureau of Land Management

Lease	Api Number	Well Name	QTR	Section	Township	Range	Well Status	Operator
UTU081	4304715152	24 (34-14B) RED WASH SWSE	14	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU0566	4304730344	240 (12-36B) RED WAS SWNW	36	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU081	4304730345	241 (22-14B) RED WAS SENW	14	T	7S	R23E PGW	CHEVRON U S A INCORPORATED	
UTU081	4304730346	242 (42-13B) RED WAS SENE	13	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU02148	4304730347	243 (42-18C) RED WAS SENE	18	T	7S	R24E POW	CHEVRON U S A INCORPORATED	
UTU02149	4304730348	244 (23-19C) RED WAS NESW	19	T	7S	R24E PGW	CHEVRON U S A INCORPORATED	
<del>UTSL071964</del>	<del>4304730349</del>	<del>245 (14-30C) RED WAS SWSW</del>	<del>30</del>	<del>T</del>	<del>7S</del>	<del>R24E ABD</del>	<del>CHEVRON U S A INCORPORATED</del>	
UTU02148	4304730387	246 (22-18C) RED WAS SENW	18	T	7S	R24E POW	CHEVRON U S A INCORPORATED	
UTU02148	4304730388	247 (22-17C) RED WAS SENW	17	T	7S	R24E PGW	CHEVRON U S A INCORPORATED	
<del>UTU02149</del>	<del>4304730389</del>	<del>248 (43-20C) RED WAS NESE</del>	<del>20</del>	<del>T</del>	<del>7S</del>	<del>R24E ABD</del>	<del>CHEVRON U S A INCORPORATED</del>	
UTU082	4304716476	25 (23-23B) RED WASH NESW	23	T	7S	R23E WIW	CHEVRON U S A INCORPORATED	
<del>UTSL071965</del>	<del>4304730391</del>	<del>250 (41-29C) RED WAS NENE</del>	<del>29</del>	<del>T</del>	<del>7S</del>	<del>R24E ABD</del>	<del>CHEVRON U S A INCORPORATED</del>	
<del>UTU0559</del>	<del>4304730457</del>	<del>257 (21-23A) RED WAS NENW</del>	<del>23</del>	<del>T</del>	<del>7S</del>	<del>R22E ABD</del>	<del>CHEVRON U S A INCORPORATED</del>	
UTU0559	4304730458	258 (34-22A) RED WAS SWSE	22	T	7S	R22E WIW	CHEVRON U S A INCORPORATED	
STATE	4304732785	259 SWSW	16	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU081	4304715153	26 (23-22B) RED WASH NESW	22	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
STATE	4304732786	260 SWSE	16	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU0566	4304730517	262 (22-26B) RED WAS SENW	26	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU0566	4304730518	263 (24-26B) RED WAS SESW	26	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU0566	4304730519	264 (31-35B) RED WAS NWNE	35	T	7S	R23E WIW	CHEVRON U S A INCORPORATED	
UTU0566	4304730520	265 (44-26B) RED WAS SESE	26	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU0566	4304730521	266 (33-26B) RED WAS NWSE	26	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU0116	4304732981	267 SWNE	17	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU0566	4304730522	269 (13-26B) RED WAS NWSW	26	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU081	4304715154	27 (43-14B) RED WASH NESE	14	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU0566	4304731082	270 (22-35B) RED WAS SENW	35	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU0566	4304731081	271 (42-35B) RED WAS SENE	35	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU082	4304731054	272 (44-23B) RED WAS SESE	23	T	7S	R23E PGW	CHEVRON U S A INCORPORATED	
UTU0566	4304731051	273 (42-27B) RED WAS SENE	27	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
<del>UTU0823</del>	<del>4304731083</del>	<del>274 (13-25B) RED WAS NWSW</del>	<del>25</del>	<del>T</del>	<del>7S</del>	<del>R23E P+A</del>	<del>CHEVRON U S A INCORPORATED</del>	
UTU0566	4304731077	275 (31-26B) RED WAS NENW	26	T	7S	R23E WIW	CHEVRON U S A INCORPORATED	
UTU0566	4304731053	276 (44-27B) RED WAS SESE	27	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU0566	4304731076	278 (11-26B) RED WAS NWNW	26	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
STATE	4304731052	279 (11-36B) RED WAS NWNW	36	T	7S	R23E WIW	CHEVRON U S A INCORPORATED	
UTU081	4304715155	28 (43-22B) RED WASH NESE	22	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU0566	4304731079	280 (11-35B) RED WAS NWNW	35	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
<del>UTU0823</del>	<del>4304731078</del>	<del>281 (11-25B) RED WAS NWNW</del>	<del>25</del>	<del>T</del>	<del>7S</del>	<del>R23E ABD</del>	<del>CHEVRON U S A INCORPORATED</del>	
UTU0566	4304731080	282(42-26B) RED WAS SENE	26	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU0116	4304732982	283 NESE	18	T	7S	R23E WIW	CHEVRON U S A INCORPORATED	
UTU082	4304731476	284 (33-23B) RED WAS NWSE	23	T	7S	R23E PGW	CHEVRON U S A INCORPORATED	
UTU082	4304731477	285 (11-24B) RED WAS NWNW	24	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU0567	4304731478	286 (42-21B) RED WAS SENE	21	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU081	4304731512	287 (44-13B) RED WAS SESE	13	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU0566	4304731513	288 (24-27B) RED WAS SESW	27	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU082	4304731517	289 (13-24B) RED WAS NWSW	24	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU082	4304715156	29 (32-23B) RED WASH SWNE	23	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
<del>UTU082</del>	<del>4304731515</del>	<del>290 (12X-23B) RED WA SWNW</del>	<del>23</del>	<del>T</del>	<del>7S</del>	<del>R23E ABD</del>	<del>CHEVRON U S A INCORPORATED</del>	
<del>UTU082</del>	<del>4304731516</del>	<del>291 (22X-23B) RED WA SENW</del>	<del>23</del>	<del>T</del>	<del>7S</del>	<del>R23E ABD</del>	<del>CHEVRON U S A INCORPORATED</del>	
UTU082	4304731576	292 (42-23B) RED WAS SENE	23	T	7S	R23E TA	CHEVRON U S A INCORPORATED	

Well Status Report  
Utah State Office  
Bureau of Land Management

Lease	Api Number	Well Name	QTR	Section	Township	Range	Well Status	Operator
UTU0559	4304731581	293 (22-22A) RED WAS SENW	22	T	7S	R22E	OSI	CHEVRON U S A INCORPORATED
UTU02148	4304731582	294 (24-18C) RED WAS SESW	18	T	7S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU081	4304731577	295 (11-22B) RED WAS NWNW	22	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0566	4304731578	296 (12-35B) RED WAS SWNW	35	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU081	4304731579	297 (24-15B) RED WAS SESW	15	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0566	4304731679	298 (22-27B) RED WAS SENW	27	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0116	4304733018	299 SWNE	18	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU082	4304715136	3 (34-23B) RED WASH SWSE	23	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU081	4304715157	30 (23-13B) RED WASH NESW	13	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU081	4304731682	301 (43-15B) RED WAS NESE	15	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU082	4304731683	302 (22-24B) RED WAS SENW	24	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0116	4304731819	303 (34-17B) RED WAS SWSE	17	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0830	4304732538	305 NENE	4	T	8S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU093	4304732629	306 NESW	23	T	7S	R24E	POW	CHEVRON U S A INCORPORATED
<del>STATE</del>	<del>4304732632</del>	<del>307 SWSW</del>	<del>16</del>	<del>T</del>	<del>7S</del>	<del>R24E</del>	<del>ABD</del>	<del>CHEVRON U S A INCORPORATED</del>
<del>UTSL071965</del>	<del>4304732627</del>	<del>308 SESW</del>	<del>28</del>	<del>T</del>	<del>7S</del>	<del>R24E</del>	<del>P+A</del>	<del>CHEVRON U S A INCORPORATED</del>
UTU081	4304715158	31 (34-22B) RED WASH SWSE	22	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
<del>UTSL071965</del>	<del>4304732628</del>	<del>311 NESW</del>	<del>26</del>	<del>T</del>	<del>7S</del>	<del>R24E</del>	<del>P+A</del>	<del>CHEVRON U S A INCORPORATED</del>
<del>UTSL071963</del>	<del>4304732595</del>	<del>312 SWNE</del>	<del>34</del>	<del>T</del>	<del>7S</del>	<del>R24E</del>	<del>ABD</del>	<del>CHEVRON U S A INCORPORATED</del>
<del>UTU02149</del>	<del>4304732630</del>	<del>313 NESW</del>	<del>20</del>	<del>T</del>	<del>7S</del>	<del>R24E</del>	<del>ABD</del>	<del>CHEVRON U S A INCORPORATED</del>
<del>UTSL071965</del>	<del>4304732626</del>	<del>314 SESW</del>	<del>29</del>	<del>T</del>	<del>7S</del>	<del>R24E</del>	<del>ABD</del>	<del>CHEVRON U S A INCORPORATED</del>
UTU081	4304715160	33 (14-14B) RED WASH SWSW	14	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU081	4304715161	34 (23-14B) RED WASH NESW	14	T	7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU081	4304715162	35 (43-13B) RED WASH NESE	13	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU081	4304715163	36 (32-13B) RED WASH SWNE	13	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
<del>UTU0823</del>	<del>4304715164</del>	<del>37 (41-25B) RED WASH NENE</del>	<del>25</del>	<del>T</del>	<del>7S</del>	<del>R23E</del>	<del>ABD</del>	<del>CHEVRON U S A INCORPORATED</del>
UTU082	4304715165	38 (14-23B) RED WASH SWSW	23	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0561	4304715166	39 (14-24A) RED WASH SWSW	24	T	7S	R22E	TA	CHEVRON U S A INCORPORATED
UTU081	4304715137	4 (41-22B) RED WASH NENE	22	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU082	4304715167	40 (21-24B) RED WASH NENW	24	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU081	4304715168	41 (34-13B) RED WASH SWSE	13	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTSL071965	4304715169	42 (21-29C) RED WASH NENW	29	T	7S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU0116	4304715170	43 (12-17B) RED WASH SWNW	17	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0829	4304715171	44 (32-33C) RED WASH SWNE	33	T	7S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU02030	4304715172	45 (23-30B) RED WASH NESW	30	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU080	4304715173	46 (41-21C) RED WASH NENE	21	T	7S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU02030	4304715174	48 (32-19B) RED WASH SWNE	19	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU02025	4304715175	49 (12-29B) RED WASH SWNW	29	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU082	4304715138	5 (41-23B) RED WASH NENE	23	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0559	4304715176	50 (14-23A) RED WASH SWSW	23	T	7S	R22E	POW	CHEVRON U S A INCORPORATED
STATE	4304715177	51 (12-16B) RED WASH SWNW	16	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0116	4304715178	52 (14-18B) RED WASH SWSW	18	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0561	4304715179	53 (41-25A) RED WASH NENE	25	T	7S	R22E	POW	CHEVRON U S A INCORPORATED
<del>UTU0559</del>	<del>4304715181</del>	<del>55 (41-21A) RED WASH NENE</del>	<del>21</del>	<del>T</del>	<del>7S</del>	<del>R22E</del>	<del>P+A</del>	<del>CHEVRON U S A INCORPORATED</del>
UTU02030	4304715182	56 (41-28B) RED WASH NENE	28	T	7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU02148	4304715183	57 (12-18C) RED WASH SWNW	18	T	7S	R24E	POW	CHEVRON U S A INCORPORATED
UTU082	4304716477	59 (12-24B) RED WASH SWNW	24	T	7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU0567	4304716482	6 (41-21B) RED WASH NENE	21	T	7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU02025	4304715184	60 (43-30B) RED WASH NESE	30	T	7S	R23E	TA	CHEVRON U S A INCORPORATED

Well Status Report  
Utah State Office  
Bureau of Land Management

Lease	Api Number	Well Name	QTR	Section	Township	Range	Well Status	Operator
UTU0559	4304731581	293 (22-22A) RED WAS	SENW	22	T 7S	R22E	OSI	CHEVRON U S A INCORPORATED
UTU02148	4304731582	294 (24-18C) RED WAS	SESW	18	T 7S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU081	4304731577	295 (11-22B) RED WAS	NWNW	22	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0566	4304731578	296 (12-35B) RED WAS	SWNW	35	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU081	4304731579	297 (24-15B) RED WAS	SESW	15	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0566	4304731679	298 (22-27B) RED WAS	SENW	27	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0116	4304733018	299	SWNE	18	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU082	4304715136	3 (34-23B) RED WASH	SWSE	23	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU081	4304715157	30 (23-13B) RED WASH	NESW	13	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU081	4304731682	301 (43-15B) RED WAS	NESE	15	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU082	4304731683	302 (22-24B) RED WAS	SENW	24	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0116	4304731819	303 (34-17B) RED WAS	SWSE	17	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0830	4304732538	305	NENE	4	T 8S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU093	4304732629	306	NESW	23	T 7S	R24E	POW	CHEVRON U S A INCORPORATED
<del>STATE</del>	<del>4304732632</del>	<del>307</del>	<del>SWSW</del>	<del>16</del>	<del>T 7S</del>	<del>R24E</del>	<del>ABD</del>	<del>CHEVRON U S A INCORPORATED</del>
<del>UTSL071965</del>	<del>4304732627</del>	<del>308</del>	<del>SESW</del>	<del>28</del>	<del>T 7S</del>	<del>R24E</del>	<del>P+A</del>	<del>CHEVRON U S A INCORPORATED</del>
UTU081	4304715158	31 (34-22B) RED WASH	SWSE	22	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
<del>UTSL071965</del>	<del>4304732628</del>	<del>311</del>	<del>NESW</del>	<del>26</del>	<del>T 7S</del>	<del>R24E</del>	<del>P+A</del>	<del>CHEVRON U S A INCORPORATED</del>
<del>UTSL071963</del>	<del>4304732595</del>	<del>312</del>	<del>SWNE</del>	<del>34</del>	<del>T 7S</del>	<del>R24E</del>	<del>ABD</del>	<del>CHEVRON U S A INCORPORATED</del>
<del>UTU02149</del>	<del>4304732630</del>	<del>313</del>	<del>NESW</del>	<del>28</del>	<del>T 7S</del>	<del>R24E</del>	<del>ABD</del>	<del>CHEVRON U S A INCORPORATED</del>
<del>UTSL071965</del>	<del>4304732626</del>	<del>314</del>	<del>SESW</del>	<del>29</del>	<del>T 7S</del>	<del>R24E</del>	<del>ABD</del>	<del>CHEVRON U S A INCORPORATED</del>
UTU081	4304715160	33 (14-14B) RED WASH	SWSW	14	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU081	4304715161	34 (23-14B) RED WASH	NESW	14	T 7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU081	4304715162	35 (43-13B) RED WASH	NESE	13	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU081	4304715163	36 (32-13B) RED WASH	SWNE	13	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
<del>UTU0823</del>	<del>4304715164</del>	<del>37 (41-25B) RED WASH</del>	<del>NENE</del>	<del>25</del>	<del>T 7S</del>	<del>R23E</del>	<del>ABD</del>	<del>CHEVRON U S A INCORPORATED</del>
UTU082	4304715165	38 (14-23B) RED WASH	SWSW	23	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0561	4304715166	39 (14-24A) RED WASH	SWSW	24	T 7S	R22E	TA	CHEVRON U S A INCORPORATED
UTU081	4304715137	4 (41-22B) RED WASH	NENE	22	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU082	4304715167	40 (21-24B) RED WASH	NENW	24	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU081	4304715168	41 (34-13B) RED WASH	SWSE	13	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTSL071965	4304715169	42 (21-29C) RED WASH	NENW	29	T 7S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU0116	4304715170	43 (12-17B) RED WASH	SWNW	17	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0829	4304715171	44 (32-33C) RED WASH	SWNE	33	T 7S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU02030	4304715172	45 (23-30B) RED WASH	NESW	30	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU080	4304715173	46 (41-21C) RED WASH	NENE	21	T 7S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU02030	4304715174	48 (32-19B) RED WASH	SWNE	19	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU02025	4304715175	49 (12-29B) RED WASH	SWNW	29	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU082	4304715138	5 (41-23B) RED WASH	NENE	23	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0559	4304715176	50 (14-23A) RED WASH	SWSW	23	T 7S	R22E	POW	CHEVRON U S A INCORPORATED
STATE	4304715177	51 (12-16B) RED WASH	SWNW	16	T 7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0116	4304715178	52 (14-18B) RED WASH	SWSW	18	T 7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0561	4304715179	53 (41-25A) RED WASH	NENE	25	T 7S	R22E	POW	CHEVRON U S A INCORPORATED
<del>UTU0559</del>	<del>4304715181</del>	<del>55 (41-21A) RED WASH</del>	<del>NENE</del>	<del>21</del>	<del>T 7S</del>	<del>R22E</del>	<del>P+A</del>	<del>CHEVRON U S A INCORPORATED</del>
UTU02030	4304715182	56 (41-28B) RED WASH	NENE	28	T 7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU02148	4304715183	57 (12-18C) RED WASH	SWNW	18	T 7S	R24E	POW	CHEVRON U S A INCORPORATED
UTU082	4304716477	59 (12-24B) RED WASH	SWNW	24	T 7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU0567	4304716482	6 (41-21B) RED WASH	NENE	21	T 7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU02025	4304715184	60 (43-30B) RED WASH	NESE	30	T 7S	R23E	TA	CHEVRON U S A INCORPORATED

## OPERATOR CHANGE WORKSHEET

## ROUTING

1. GLH		4-KAS	
2. CDW	<input checked="" type="checkbox"/>	5- <del>SM</del>	<input checked="" type="checkbox"/>
3. JLT		6-FILE	

Enter date after each listed item is completed

**X Change of Operator (Well Sold)**

Designation of Agent

Operator Name Change (Only)

Merger

The operator of the well(s) listed below has changed, effective:

01-01-2000**FROM:** (Old Operator):

CHEVRON USA INC

Address: 11002 E. 17500 S.

VERNAL, UT 84078-8526

Phone: 1-(435)-781-4300

Account No. N0210

**TO:** ( New Operator):

SHENANDOAH ENERGY INC

Address: 11002 E. 17500 S.

VERNAL, UT 84078

Phone: 1-(435)-781-4300

Account N4235

CA No.

Unit: RED WASH

**WELL(S)**

NAME	API NO.	ENTITY NO.	SEC. TWN RNG	LEASE TYPE	WELL TYPE	WELL STATUS
RWU 293 (22-22A)	43-047-31581	5670	22-07S-22E	FEDERAL	OW	TA
RWU 30 (23-13B)	43-047-15157	5670	13-07S-23E	FEDERAL	GW	TA
RWU 297 (24-15B)	43-047-31579	5670	15-07S-23E	FEDERAL	OW	P
RWU 301 (43-15B)	43-047-31682	5670	15-07S-23E	FEDERAL	GW	P
RWU 303 (34-17B)	43-047-31819	5670	17-07S-23E	FEDERAL	OW	P
RWU 299 (32-18B)	43-047-33018	5670	18-07S-23E	FEDERAL	OW	P
RWU 295 (11-22B)	43-047-31577	5670	22-07S-23E	FEDERAL	GW	S
RWU 31 (34-22B)	43-047-15158	5670	22-07S-23E	FEDERAL	OW	P
RWU 290 (12X-23B)	43-047-31515	5670	23-07S-23E	FEDERAL	OW	PA
RWU 291 (22X-23B)	43-047-31516	5670	23-07S-23E	FEDERAL	OW	PA
RWU 29 (32-23B)	43-047-15156	5670	23-07S-23E	FEDERAL	OW	P
RWU 292 (42-23B)	43-047-31576	5670	23-07S-23E	FEDERAL	GW	TA
RWU 3 (34-23B)	43-047-15136	5670	23-07S-23E	FEDERAL	OW	P
RWU 289 (13-24B)	43-047-31517	5670	24-07S-23E	FEDERAL	OW	P
RWU 302 (22-24B)	43-047-31683	5670	24-07S-23E	FEDERAL	GW	S
RWU 298 (22-27B)	43-047-31679	5670	27-07S-23E	FEDERAL	OW	TA
RWU 296 (12-35B)	43-047-31578	5670	35-07S-23E	FEDERAL	OW	P
RWU 307	43-047-32632	5670	16-07S-24E	STATE	GW	PA
RWU 294 (24-18C)	43-047-31582	5670	18-07S-24E	FEDERAL	GW	P
RWU 306	43-047-32629	5670	23-07S-24E	FEDERAL	GW	P
RWU 308	43-047-32627	5670	28-07S-24E	FEDERAL	GW	PA
RWU 305 (41-4F)	43-047-32538	5670	04-08S-24E	FEDERAL	GW	TA

**OPERATOR CHANGES DOCUMENTATION**1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on:12-30-19992. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on:08-09-2000

3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 08-23-2000
4. Is the new operator registered in the State of Utah: YES Business Number: 224885
5. If **NO**, the operator was contacted on: \_\_\_\_\_
6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 02/04/2000
7. **Federal and Indian Units:** The BLM or BIA has approved the successor of unit operator for wells listed on: 02/04/2000
8. **Federal and Indian Communization Agreements ("CA"):** The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: N/A
9. **Underground Injection Control ("UIC") Pro:** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

---

**DATA ENTRY:**

1. Changes entered in the **Oil and Gas Database** on: 09/20/2000
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 09/20/2000
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

---

**STATE BOND VERIFICATION:**

1. State well(s) covered by Bond No.: 159261960

---

**FEE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:**

1. (R649-3-1) The **NEW** operator of any fee well(s) listed has furnished a bond: N/A
2. The **FORMER** operator has requested a release of liability from their bond on: N/A  
The Division sent response by letter on: N/A
3. (R649-2-10) The **FORMER** operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: \_\_\_\_\_

---

**FILMING:**

1. All attachments to this form have been **MICROFILMED** on: 03-09-01

---

**FILING:**

1. **ORIGINALS/COPIES** of all attachments pertaining to each individual well have been filed in each well file on: \_\_\_\_\_

---

**COMMENTS:**

---

---

---

---

---

---

---

---

---

---



May 28, 2003

Division of Oil, Gas, & Mining  
1594 West North Temple, Suite 1210  
P. O. Box 145801  
Salt Lake City, Utah 84114-5801

Attention: John Baza/Jim Thompson

Gentlemen:

This will serve as notice that through the internal corporate changes described below, activities formerly conducted in the name of either Shenandoah Operating Company, LLC (SOC) and/or Shenandoah Energy, Inc. (SEI) will hereafter be conducted in the name of QEP Uinta Basin, Inc.: i) the Shenandoah entities were purchased in July, 2001 by Questar Market Resources, Inc., which is a mid-level holding company for the non-utility businesses of Questar Corporation, ii) Shenandoah Operating Company, LLC has now been merged into Shenandoah Energy, Inc. (SEI), iii) Shenandoah Energy, Inc. has now been re-named **QEP Uinta Basin, Inc.** pursuant to a State of Delaware Amended and Restated Certificate of Incorporation, iv) the same employees will continue to be responsible for operations of the former SOC and SEI properties, both in the field and in the office. Accordingly, the change involves only an internal corporate name change and no third party change of operator is involved. Please alter your records to reflect the entity name change. Attached is a spreadsheet listing all wells affected by this change.

Should you have any questions, please call me at 303 - 308-3056.

Yours truly,

Frank Nielsen  
Division Landman

Enclosure

RECEIVED

JUN 02 2003

DIV. OF OIL, GAS & MINING



## SEI (N4235) to QEP (N2460) RED WASH UNIT

well name	Sec	T	R	api	Entity	Lease Type	type	stat	
RED WASH 22-21B	21	070S	230E	4304733522	5670	Federal	OW	TA	
RED WASH 24-20B	20	070S	230E	4304733523	5670	Federal	OW	P	
RED WASH 305 (41-4F)	04	080S	240E	4304732538	5670	Federal	GW	TA	
RED WASH 306	23	070S	240E	4304732629	5670	Federal	GW	P	
RED WASH 44-19B	19	070S	230E	4304733524	5670	Federal	OW	P	
RED WASH 44-20B	20	070S	230E	4304733525	5670	Federal	OW	P	
RWU 1 (41-26B)	26	070S	230E	4304715135	5670	Federal	OW	TA	
RWU 10 (12-23B)	23	070S	230E	4304715141	5670	Federal	OW	TA	
RWU 101 (34-21B)	21	070S	230E	4304715220	5670	Federal	OW	P	
RWU 103 (34-15B)	15	070S	230E	4304715222	5670	Federal	OW	P	
RWU 108 (32-21B)	21	070S	230E	4304715226	5670	Federal	OW	P	
RWU 109 (21-28B)	28	070S	230E	4304715227	5670	Federal	OW	P	
RWU 110 (23-23A)	23	070S	220E	4304715228	5670	Federal	OW	P	
RWU 111 (32-24A)	24	070S	220E	4304715229	5670	Federal	OW	TA	
RWU 112 (32-28A)	28	070S	220E	4304715230	5670	Federal	OW	P	
RWU 115 (21-19B)	19	070S	230E	4304715233	5670	Federal	OW	P	
RWU 119 (43-29A)	29	070S	220E	4304715236	5670	Federal	OW	P	
RWU 120 (23-28B)	28	070S	230E	4304715237	5670	Federal	OW	TA	
RWU 121 (13-13B)	13	070S	230E	4304715238	5670	Federal	GW	P	
RWU 122 (24-14B)	14	070S	230E	4304715239	5670	Federal	OW	P	
RWU 125 (34-19B)	19	070S	230E	4304715242	5670	Federal	OW	TA	
RWU 126 (41-29A)	29	070S	220E	4304715243	5670	Federal	OW	P	
RWU 127 (12-19B)	19	070S	230E	4304715244	5670	Federal	OW	TA	
RWU 129 (14-15B)	15	070S	230E	4304715246	5670	Federal	OW	P	
RWU 13 (14-22B)	22	070S	230E	4304715143	5670	Federal	OW	TA	
RWU 133 (41-34B)	34	070S	230E	4304715250	5670	Federal	OW	P	
RWU 136 (43-19B)	19	070S	230E	4304715252	5670	Federal	OW	TA	
RWU 137 (34-28B)	28	070S	230E	4304715253	5670	Federal	GW	TA	
RWU 138 (41-30B)	30	070S	230E	4304715254	5670	Federal	OW	P	
RWU 140 (24-22B)	22	070S	230E	4304715255	5670	Federal	OW	P	
RWU 141 (11-27B)	27	070S	230E	4304715256	5670	Federal	OW	TA	
RWU 143 (33-14B)	14	070S	230E	4304715257	5670	Federal	OW	P	
RWU 144 (21-18B)	18	070S	230E	4304715258	5670	Federal	OW	TA	
RWU 145 (24-13B)	13	070S	230E	4304715259	5670	Federal	OW	TA	
RWU 147 (22-22B)	22	070S	230E	4304715260	5670	Federal	OW	TA	
RWU 15 (32-17C)	17	070S	240E	4304715145	5670	Federal	OW	P	
RWU 151 (42-14B)	14	070S	230E	4304715264	5670	Federal	OW	P	
RWU 153 (14-29B)	29	070S	230E	4304715265	5670	Federal	OW	P	
RWU 158 (32-30B)	30	070S	230E	4304715268	5670	Federal	OW	P	
RWU 160 (32-15B)	15	070S	230E	4304715270	5670	Federal	OW	P	
RWU 162 (12-20B)	20	070S	230E	4304715272	5670	Federal	OW	TA	
RWU 164 (12-28B)	28	070S	230E	4304715274	5670	Federal	OW	P	
RWU 165 (32-26B)	26	070S	230E	4304715275	5670	Federal	GW	TA	
RWU 167 (23-21B)	21	070S	230E	4304715277	5670	Federal	OW	S	
RWU 168 (23-24B)	24	070S	230E	4304715278	5670	Federal	OW	TA	
RWU 172 (21-30B)	30	070S	230E	4304715280	5670	Federal	OW	TA	
RWU 176 (31-28B)	28	070S	230E	4304715283	5670	Federal	OW	TA	
RWU 177 (42-28B)	28	070S	230E	4304715284	5670	Federal	OW	TA	
RWU 178 (22-13B)	13	070S	230E	4304715285	5670	Federal	OW	TA	
RWU 180 (31-23B)	23	070S	230E	4304715287	5670	Federal	OW	TA	
RWU 181 (34-30B)	30	070S	230E	4304715288	5670	Federal	OW	P	
RWU 184 (23-26B)	26	070S	230E	4304715290	5670	Federal	OW	TA	
RWU 188 (23-20B)	20	070S	230E	4304715291	5670	Federal	OW	TA	
RWU 19 (34-26B)	26	070S	230E	4304715148	5670	Federal	GW	TA	
RWU 192 (41-33A)	33	070S	220E	4304715294	5670	Federal	OW	P	
RWU 193 (43-24B)	24	070S	230E	4304715295	5670	Federal	GW	S	
RWU 194 (12-14B)	14	070S	230E	4304715296	5670	Federal	OW	S	
RWU 196 (23-17C)	17	070S	240E	4304715298	5670	Federal	GW	S	
RWU 201 (32-28C)	28	070S	240E	4304715302	5670	Federal	GW	P	
RWU 204 (23-25A)	25	070S	220E	4304715305	5670	Federal	OW	P	
RWU 205 (23-21C)	21	070S	240E	4304715306	5670	Federal	GW	TA	
RWU 207	17	070S	230E	4304732738	5670	Federal	OW	P	
RWU 21 (32-14B)	14	070S	230E	4304715150	5670	Federal	OW	P	
RWU 212 (41-8F)	08	080S	240E	4304720014	5670	Federal	GW	P	
RWU 21-24A	24	070S	220E	4304733592	5670	Federal	OW	P	

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	
RWU 21-25A	25	070S	220E	4304733576	5670	Federal	OW	P	
RWU 219 (44-21C)	21	070S	240E	4304730149	5670	Federal	GW	P	
RWU 220 (22-23B)	23	070S	230E	4304730192	5670	Federal	OW	TA	
RWU 221 (13-27B)	27	070S	230E	4304730199	5670	Federal	OW	TA	
RWU 22-13A	13	070S	220E	4304733765	5670	Federal	OW	S	
RWU 22-19B	19	070S	230E	4304733559	5670	Federal	OW	P	
RWU 222 (31-27B)	27	070S	230E	4304730200	5670	Federal	GW	TA	
RWU 22-20B	20	070S	230E	4304733491	5670	Federal	OW	P	
RWU 22-25A	25	070S	220E	4304733786	5670	Federal	OW	P	
RWU 22-29B	29	070S	230E	4304733766	5670	Federal	OW	S	
RWU 224 (44-22B)	22	070S	230E	4304730202	5670	Federal	GW	TA	
RWU 225 (13-23B)	23	070S	230E	4304730212	5670	Federal	GW	TA	
RWU 226 (24-23B)	23	070S	230E	4304730249	5670	Federal	GW	S	
RWU 227 (14-26B)	26	070S	230E	4304730257	5670	Federal	OW	TA	
RWU 228 (21-34B)	34	070S	230E	4304730258	5670	Federal	OW	P	
RWU 229 (43-26B)	26	070S	230E	4304730259	5670	Federal	OW	TA	
RWU 230 (14-18C)	18	070S	240E	4304730309	5670	Federal	OW	TA	
RWU 231 (21-35B)	35	070S	230E	4304730310	5670	Federal	OW	TA	
RWU 232 (12-26B)	26	070S	230E	4304730311	5670	Federal	OW	TA	
RWU 23-24A	24	070S	220E	4304733567	5670	Federal	OW	P	
RWU 233 (12-25B)	25	070S	230E	4304730312	5670	Federal	OW	TA	
RWU 234 (32-24B)	24	070S	230E	4304730313	5670	Federal	OW	P	
RWU 235 (34-18C)	18	070S	240E	4304730314	5670	Federal	OW	P	
RWU 236 (21-19C)	19	070S	240E	4304730340	5670	Federal	GW	P	
RWU 237 (14-25B)	25	070S	230E	4304730341	5670	Federal	OW	P	
RWU 238 (32-35B)	35	070S	230E	4304730342	5670	Federal	OW	TA	
RWU 239 (41-35B)	35	070S	230E	4304730343	5670	Federal	OW	TA	
RWU 24 (34-14B)	14	070S	230E	4304715152	5670	Federal	OW	P	
RWU 240 (12-36B)	36	070S	230E	4304730344	5670	Federal	OW	P	
RWU 241 (22-14B)	14	070S	230E	4304730345	5670	Federal	OW	P	
RWU 24-18B	18	070S	230E	4304733554	5670	Federal	OW	P	
RWU 24-19B	19	070S	230E	4304733492	5670	Federal	OW	P	
RWU 242 (42-13B)	13	070S	230E	4304730346	5670	Federal	OW	P	
RWU 243 (42-18C)	18	070S	240E	4304730347	5670	Federal	OW	TA	
RWU 244 (23-19C)	19	070S	240E	4304730348	5670	Federal	GW	P	
RWU 246 (22-18C)	18	070S	240E	4304730387	5670	Federal	OW	P	
RWU 247 (22-17C)	17	070S	240E	4304730388	5670	Federal	GW	P	
RWU 26 (23-22B)	22	070S	230E	4304715153	5670	Federal	OW	TA	
RWU 262 (22-26B)	26	070S	230E	4304730517	5670	Federal	GW	TA	
RWU 265 (44-26B)	26	070S	230E	4304730520	5670	Federal	GW	P	
RWU 267 (32-17B)	17	070S	230E	4304732981	5670	Federal	OW	P	
RWU 27 (43-14B)	14	070S	230E	4304715154	5670	Federal	OW	TA	
RWU 270 (22-35B)	35	070S	230E	4304731082	5670	Federal	OW	P	
RWU 272 (44-23B)	23	070S	230E	4304731054	5670	Federal	GW	P	
RWU 273 (42-27B)	27	070S	230E	4304731051	5670	Federal	OW	TA	
RWU 276 (44-27B)	27	070S	230E	4304731053	5670	Federal	OW	TA	
RWU 278 (11-26)	26	070S	230E	4304731076	5670	Federal	GW	TA	
RWU 28 (43-22B)	22	070S	230E	4304715155	5670	Federal	OW	P	
RWU 280 (11-35B)	35	070S	230E	4304731079	5670	Federal	OW	P	
RWU 282 (42-26B)	26	070S	230E	4304731080	5670	Federal	GW	TA	
RWU 284 (33-23B)	23	070S	230E	4304731476	5670	Federal	GW	TA	
RWU 285 (11-24B)	24	070S	230E	4304731477	5670	Federal	OW	P	
RWU 286 (42-21B)	21	070S	230E	4304731478	5670	Federal	OW	P	
RWU 287 (44-13B)	13	070S	230E	4304731512	5670	Federal	OW	TA	
RWU 288 (24-27)	27	070S	230E	4304731513	5670	Federal	OW	TA	
RWU 289 (13-24B)	24	070S	230E	4304731517	5670	Federal	OW	P	
RWU 29 (32-23B)	23	070S	230E	4304715156	5670	Federal	OW	P	
RWU 292 (42-23B)	23	070S	230E	4304731576	5670	Federal	GW	TA	
RWU 293 (22-22A)	22	070S	220E	4304731581	5670	Federal	OW	TA	
RWU 294 (24-18C)	18	070S	240E	4304731582	5670	Federal	GW	P	
RWU 295 (11-22B)	22	070S	230E	4304731577	5670	Federal	GW	TA	
RWU 296 (12-35B)	35	070S	230E	4304731578	5670	Federal	OW	P	
RWU 297 (24-15B)	15	070S	230E	4304731579	5670	Federal	OW	P	
RWU 298 (22-27B)	27	070S	230E	4304731679	5670	Federal	OW	TA	
RWU 299 (32-18B)	18	070S	230E	4304733018	5670	Federal	OW	P	

## SEI (N4235) to QEP (N2460) RED WASH UNIT

well name	Sec	T	R	api	Entity	Lease Type	type	stat	
RWU 3 (34-23B)	23	070S	230E	4304715136	5670	Federal	OW	P	
RWU 30 (23-13B)	13	070S	230E	4304715157	5670	Federal	GW	TA	
RWU 301 (43-15B)	15	070S	230E	4304731682	5670	Federal	GW	S	
RWU 302 (22-24B)	24	070S	230E	4304731683	5670	Federal	GW	TA	
RWU 303 (34-17B)	17	070S	230E	4304731819	5670	Federal	OW	P	
RWU 31 (34-22B)	22	070S	230E	4304715158	5670	Federal	OW	P	
RWU 33 (14-14B)	14	070S	230E	4304715160	5670	Federal	GW	TA	
RWU 35 (43-13B)	13	070S	230E	4304715162	5670	Federal	OW	TA	
RWU 36 (32-13B)	13	070S	230E	4304715163	5670	Federal	GW	P	
RWU 38 (14-23B)	23	070S	230E	4304715165	5670	Federal	OW	P	
RWU 39 (14-24A)	24	070S	220E	4304715166	5670	Federal	OW	TA	
RWU 4 (41-22B)	22	070S	230E	4304715137	5670	Federal	OW	TA	
RWU 40 (21-24B)	24	070S	230E	4304715167	5670	Federal	OW	TA	
RWU 41 (34-13B)	13	070S	230E	4304715168	5670	Federal	OW	P	
RWU 41-24A	24	070S	220E	4304733769	5670	Federal	OW	P	
RWU 41-25A	25	070S	220E	4304733579	5670	Federal	OW	P	
RWU 42 (21-29C)	29	070S	240E	4304715169	5670	Federal	GW	P	
RWU 42-19B	19	070S	230E	4304733556	5670	Federal	OW	P	
RWU 42-20B	20	070S	230E	4304733490	5670	Federal	OW	P	
RWU 42-24A	24	070S	220E	4304733569	5670	Federal	OW	P	
RWU 42-25A	25	070S	220E	4304733580	5670	Federal	OW	S	
RWU 42-30B	30	070S	230E	4304733771	5670	Federal	OW	P	
RWU 43 (12-17B)	17	070S	230E	4304715170	5670	Federal	OW	P	
RWU 44 (32-33C)	33	070S	240E	4304715171	5670	Federal	GW	P	
RWU 44-18B	18	070S	230E	4304733594	5670	Federal	OW	P	
RWU 44-30B	30	070S	230E	4304733772	5670	Federal	OW	P	
RWU 45 (23-30B)	30	070S	230E	4304715172	5670	Federal	OW	TA	
RWU 46 (41-21C)	21	070S	240E	4304715173	5670	Federal	GW	TA	
RWU 49 (12-29B)	29	070S	230E	4304715175	5670	Federal	OW	TA	
RWU 5 (41-23B)	23	070S	230E	4304715138	5670	Federal	OW	P	
RWU 50 (14-23A)	23	070S	220E	4304715176	5670	Federal	OW	P	
RWU 52 (14-18B)	18	070S	230E	4304715178	5670	Federal	OW	TA	
RWU 53 (41-25A)	25	070S	220E	4304715179	5670	Federal	OW	TA	
RWU 57 (12-18C)	18	070S	240E	4304715183	5670	Federal	OW	P	
RWU 63 (21-22B)	22	070S	230E	4304715186	5670	Federal	GW	TA	
RWU 64 (32-27B)	27	070S	230E	4304715187	5670	Federal	OW	TA	
RWU 66 (34-18B)	18	070S	230E	4304715189	5670	Federal	OW	P	
RWU 67 (42-22B)	22	070S	230E	4304715190	5670	Federal	OW	TA	
RWU 69 (21-27B)	27	070S	230E	4304715191	5670	Federal	OW	TA	
RWU 70 (23-22A)	22	070S	220E	4304715192	5670	Federal	OW	P	
RWU 71 (21-18C)	18	070S	240E	4304715193	5670	Federal	OW	P	
RWU 72 (23-27B)	27	070S	230E	4304715194	5670	Federal	OW	TA	
RWU 74 (12-13B)	13	070S	230E	4304715196	5670	Federal	GW	P	
RWU 75 (21-26B)	26	070S	230E	4304715197	5670	Federal	OW	TA	
RWU 76 (32-18C)	18	070S	240E	4304715198	5670	Federal	GW	S	
RWU 77 (21-13B)	13	070S	230E	4304715199	5670	Federal	OW	P	
RWU 78 (32-28B)	28	070S	230E	4304715200	5670	Federal	OW	P	
RWU 79 (12-27B)	27	070S	230E	4304715201	5670	Federal	OW	TA	
RWU 8 (32-22B)	22	070S	230E	4304715139	5670	Federal	OW	P	
RWU 80 (14-27B)	27	070S	230E	4304715202	5670	Federal	OW	P	
RWU 81 (41-31B)	31	070S	230E	4304715203	5670	Federal	OW	P	
RWU 83 (41-27A)	27	070S	220E	4304715205	5670	Federal	OW	P	
RWU 84 (44-14B)	14	070S	230E	4304715206	5670	Federal	GW	P	
RWU 9 (43-23B)	23	070S	230E	4304715140	5670	Federal	OW	P	
RWU 90 (43-21B)	21	070S	230E	4304715211	5670	Federal	OW	P	
RWU 92 (11-23B)	23	070S	230E	4304715212	5670	Federal	OW	TA	
RWU 94 (12-22A)	22	070S	220E	4304715213	5670	Federal	OW	P	
RWU 99 (12-22B)	22	070S	230E	4304715218	5670	Federal	OW	P	
RED WASH UNIT 259	16	070S	230E	4304732785	5670	State	OW	P	
RED WASH UNIT 260	16	070S	230E	4304732786	5670	State	OW	P	
RWU 51 (12-16B)	16	070S	230E	4304715177	5670	State	OW	P	
RWU ST 189 (41-16B)	16	070S	230E	4304715292	5670	State	OW	P	
RED WASH UNIT 261	17	070S	230E	4304732739	5670	Federal	WI	A	
RWU 100-A (43-21A)	21	070S	220E	4304715219	5670	Federal	WI	A	

## SEI (N4235) to QEP (N2460) RED WASH UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	
RWU 102 (41-24A)	24	070S	220E	4304715221	5670	Federal	WI	A	
RWU 11	27	070S	230E	4304715142	5670	Federal	WI	A	
RWU 11-19B	19	070S	230E	4304733552	5670	Federal	WI	A	
RWU 11-20B	20	070S	230E	4304733553	5670	Federal	WI	A	
RWU 11-25A	25	070S	220E	4304733574	5670	Federal	WI	A	
RWU 11-29B	29	070S	230E	4304733590	5670	Federal	WI	A	
RWU 11-30B	30	070S	230E	4304733785	5670	Federal	WI	A	
RWU 12-24A	24	070S	220E	4304733591	5670	Federal	WI	A	
RWU 13-19B	19	070S	230E	4304733497	5670	Federal	WI	A	
RWU 13-20B	20	070S	230E	4304733498	5670	Federal	WI	A	
RWU 13-25A	25	070S	220E	4304733575	5670	Federal	WI	A	
RWU 14 (14-13B)	13	070S	230E	4304715144	5670	Federal	WI	A	
RWU 148 (13-22B)	22	070S	230E	4304715261	5670	Federal	WI	A	
RWU 150 (31-22B)	22	070S	230E	4304715263	5670	Federal	WI	I	
RWU 156 (23-15B)	15	070S	230E	4304715267	5670	Federal	WI	A	
RWU 16 (43-28B)	28	070S	230E	4304716475	5670	Federal	WI	I	
RWU 161 (14-20B)	20	070S	230E	4304715271	5670	Federal	WI	I	
RWU 17 (41-20B)	20	070S	230E	4304715146	5670	Federal	WI	A	
RWU 170 (41-15B)	15	070S	230E	4304716495	5670	Federal	WI	I	
RWU 173 (21-21B)	21	070S	230E	4304716496	5670	Federal	WI	A	
RWU 174 (21-20B)	20	070S	230E	4304715281	5670	Federal	WI	A	
RWU 182 (14-21B)	21	070S	230E	4304716497	5670	Federal	WI	A	
RWU 183 (33-13B)	13	070S	230E	4304715289	5670	Federal	WI	A	
RWU 185 (41-1B)	14	070S	230E	4304716498	5670	Federal	WI	A	
RWU 199 (43-22A)	22	070S	220E	4304715301	5670	Federal	WI	A	
RWU 2 (14-24B)	24	070S	230E	4304716472	5670	Federal	WI	A	
RWU 202 (21-34A)	34	070S	220E	4304715303	5670	Federal	WI	I	
RWU 213 (41-33B)	33	070S	230E	4304720060	5670	Federal	WD	A	
RWU 215 (43-28A)	28	070S	220E	4304730058	5670	Federal	WI	A	
RWU 216 (21-27A)	27	070S	220E	4304730103	5670	Federal	WI	A	
RWU 23 (21-23B)	23	070S	230E	4304715151	5670	Federal	WI	A	
RWU 23-18C (97)	18	070S	240E	4304715216	5670	Federal	WI	I	
RWU 25 (23-23B)	23	070S	230E	4304716476	5670	Federal	WI	A	
RWU 258 (34-22A)	22	070S	220E	4304730458	5670	Federal	WI	A	
RWU 263 (24-26B)	26	070S	230E	4304730518	5670	Federal	WI	I	
RWU 264 (31-35B)	35	070S	230E	4304730519	5670	Federal	WI	A	
RWU 266 (33-26B)	26	070S	230E	4304730521	5670	Federal	WI	I	
RWU 268 (43-17B)	17	070S	230E	4304732980	5670	Federal	WI	A	
RWU 269 (13-26B)	26	070S	230E	4304730522	5670	Federal	WI	I	
RWU 271 (42-35B)	35	070S	230E	4304731081	5670	Federal	WI	I	
RWU 275 (31-26B)	26	070S	230E	4304731077	5670	Federal	WI	A	
RWU 279 (11-36B)	36	070S	230E	4304731052	5670	Federal	WI	A	
RWU 283 (43-18B)	18	070S	230E	4304732982	5670	Federal	WI	A	
RWU 31-19B	19	070S	230E	4304733555	5670	Federal	WI	A	
RWU 31-25A	25	070S	220E	4304733577	5670	Federal	WI	A	
RWU 31-30B	30	070S	230E	4304733788	5670	Federal	WI	A	
RWU 33-19B	19	070S	230E	4304733499	5670	Federal	WI	A	
RWU 33-20B	20	070S	230E	4304733500	5670	Federal	WI	A	
RWU 33-25A	25	070S	220E	4304733578	5670	Federal	WI	A	
RWU 33-30B	30	070S	230E	4304733790	5670	Federal	WI	A	
RWU 34 (23-14B)	14	070S	230E	4304715161	5670	Federal	WI	A	
RWU 34-13A	13	070S	220E	4304733593	5670	Federal	WI	A	
RWU 34-24A	24	070S	220E	4304733568	5670	Federal	WI	A	
RWU 48 (32-19B)	19	070S	230E	4304715174	5670	Federal	WI	I	
RWU 56 (41-28B)	28	070S	230E	4304715182	5670	Federal	WI	A	
RWU 59 (12-24B)	24	070S	230E	4304716477	5670	Federal	WI	A	
RWU 6 (41-21B)	21	070S	230E	4304716482	5670	Federal	WI	A	
RWU 61 (12-27A)	27	070S	220E	4304716478	5670	Federal	WI	I	
RWU 68 (41-13B)	13	070S	230E	4304716485	5670	Federal	WI	I	
RWU 7 (41-27B)	27	070S	230E	4304716473	5670	Federal	WI	I	
RWU 88 (23-18B)	18	070S	230E	4304715210	5670	Federal	WI	A	
RWU 91 (33-22B)	22	070S	230E	4304716479	5670	Federal	WI	A	
RWU 93 (43-27B)	27	070S	230E	4304716480	5670	Federal	WI	I	
RWU 324 (23-16B)	16	070S	230E	4304733084	5670	State	WI	I	



# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155

IN REPLY REFER TO  
UT-922

June 9, 2003

QEP Uinta Basin, Inc.  
1050 17<sup>th</sup> Street, Suite 500  
Denver, Colorado 80265

Re: Red Wash Unit  
Uintah County, Utah

Gentlemen:

On May 30, 2003, we received an indenture dated February 1, 2003, whereby Shenandoah Energy, Inc. changed its name and QEP Uinta Basin, Inc. was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective June 9, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under Red Wash Unit Agreement.

Your nationwide (Eastern States) oil and gas bond No. B000024 will be used to cover all operations within the Red Wash Unit.

It is requested that you notify all interested parties of the name change of unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks  
Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)  
SITLA  
Division of Oil, Gas & Mining  
Minerals Adjudication Group  
File – Red Wash Unit (w/enclosure)  
Agr. Sec. Chron  
Fluid Chron

UT922:TAThompson:tt:6/9/03

**JUL 07 2003**

3104 (932.34)WF  
Nationwide Bond ESB000024

**NOTICE**

QEP Uinta Basin, Inc.  
1050 17<sup>th</sup> Street Suite 500  
Denver, Colorado 80265

:  
: Oil and Gas  
: lease  
:

**Name Change Recognized**

Acceptable evidence has been filed in this office concerning the name change of Shenandoah Energy Incorporated into QEP Uinta Basin, Incorporated. QEP Uinta Basin, Incorporated is the surviving entity. This name change is recognized effective April 17, 2003.

Eastern States will notify the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this notice.

If you have any questions, please contact Bill Forbes at 703-440-1536.

*S/Wilbert B. Forbes*

Wilbert B. Forbes  
Land Law Examiner  
Branch of Use Authorization  
Division of Resources Planning,  
Use and Protection

bc: JFO,MMS, ES RF, 930 RF, 932.34 RF, E-932: wbf:07 /07/03:440-1536/ QEP Uinta Basin  
MFO

## OPERATOR CHANGE WORKSHEET

## ROUTING

1. GLH
2. CDW
3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

**X Operator Name Change**

Merger

The operator of the well(s) listed below has changed, effective:

**2/1/2003****FROM: (Old Operator):**

N4235-Shenandoah Energy Inc  
11002 E 17500 S  
Vernal, UT 84078-8526  
Phone: (435) 781-4341

**TO: ( New Operator):**

N2460-QEP Uinta Basin Inc  
11002 E 17500 S  
Vernal, UT 84078-8526  
Phone: (435) 781-4341

CA No.

Unit:

RED WASH

**WELL(S)**

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	Confid
RWU 293 (22-22A)	22	070S	220E	4304731581	5670	Federal	OW	TA	
RWU 30 (23-13B)	13	070S	230E	4304715157	5670	Federal	GW	TA	
RWU 35 (43-13B)	13	070S	230E	4304715162	5670	Federal	OW	TA	
RWU 36 (32-13B)	13	070S	230E	4304715163	5670	Federal	GW	P	
RWU 33 (14-14B)	14	070S	230E	4304715160	5670	Federal	GW	TA	
RWU 297 (24-15B)	15	070S	230E	4304731579	5670	Federal	OW	P	
RWU 301 (43-15B)	15	070S	230E	4304731682	5670	Federal	GW	S	
RWU 303 (34-17B)	17	070S	230E	4304731819	5670	Federal	OW	P	
RWU 299 (32-18B)	18	070S	230E	4304733018	5670	Federal	OW	P	
RWU 295 (11-22B)	22	070S	230E	4304731577	5670	Federal	GW	TA	
RWU 31 (34-22B)	22	070S	230E	4304715158	5670	Federal	OW	P	
RWU 29 (32-23B)	23	070S	230E	4304715156	5670	Federal	OW	P	
RWU 292 (42-23B)	23	070S	230E	4304731576	5670	Federal	GW	TA	
RWU 3 (34-23B)	23	070S	230E	4304715136	5670	Federal	OW	P	
RWU 38 (14-23B)	23	070S	230E	4304715165	5670	Federal	OW	P	
RWU 289 (13-24B)	24	070S	230E	4304731517	5670	Federal	OW	P	
RWU 302 (22-24B)	24	070S	230E	4304731683	5670	Federal	GW	TA	
RWU 298 (22-27B)	27	070S	230E	4304731679	5670	Federal	OW	TA	
RWU 296 (12-35B)	35	070S	230E	4304731578	5670	Federal	OW	P	
RWU 294 (24-18C)	18	070S	240E	4304731582	5670	Federal	GW	P	

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/2/2003
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/2/2003
3. The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/19/2003
4. Is the new operator registered in the State of Utah: YES Business Number: 5292864-0151
5. If NO, the operator was contacted contacted on: \_\_\_\_\_

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 7/21/2003

8. **Federal and Indian Units:**  
The BLM or BIA has approved the successor of unit operator for wells listed on: 7/21/2003

9. **Federal and Indian Communization Agreements ("CA"):**  
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

**DATA ENTRY:**

1. Changes entered in the **Oil and Gas Database** on: 8/28/2003
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 8/28/2003
3. Bond information entered in RBDMS on: n/a
4. Fee wells attached to bond in RBDMS on: n/a

**STATE WELL(S) BOND VERIFICATION:**

1. State well(s) covered by Bond Number: 965-003-032

**FEDERAL WELL(S) BOND VERIFICATION:**

1. Federal well(s) covered by Bond Number: ESB000024

**INDIAN WELL(S) BOND VERIFICATION:**

1. Indian well(s) covered by Bond Number: 799446

**FEE WELL(S) BOND VERIFICATION:**

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 965-003-033
2. The **FORMER** operator has requested a release of liability from their bond on: n/a  
The Division sent response by letter on: n/a

**LEASE INTEREST OWNER NOTIFICATION:**

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

**COMMENTS:**



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir  
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Gas  
☐ Well ☒ Well ☐ Other

2. Name of Operator

QEP UINTA BASIN, INC.

3. Address and Telephone No.

11002 E. 17500 S. VERNAL, UT 84078-8526

Contact: dale.larsen@questar.com

435.781.4301 Fax 435.781.4329

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 18, T7S, R24E SESW - 660' FSL, 1836' FWL

5. Lease Designation and Serial No.

U-02148

6. If Indian, Allottee or Tribe Name

N/A

7. If Unit or CA, Agreement Designation

SUT08816148

8. Well Name and No.

RW 24-18C

9. API Well No.

43-047-31582

10. Field and Pool, or Exploratory Area

RED WASH - GRN. RIVER

11. County or Parish, State

UINTAH COUNTY, UTAH

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☒ Notice of Intent  
☐ Subsequent Report  
☐ Final Abandonment Notice

TYPE OF ACTION

☐ Abandonment ☐ Change of Plans  
☒ Recompletion ☐ New Construction  
☐ Plugging Back ☐ Non-Routine Fracturing  
☐ Casing Repair ☐ Water Shut-Off  
☐ Altering Casing ☐ Conversion to Injection  
☐ Other ☐ Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

NOI to recomplete Green River zones that were bypassed in the original completion. The recompletion process is planned as follows:

- 1- Recompletion: Green River formation
- 2 - Current status: producing
- 3 - RU wireline company. Perforate 5272-75'; 5319-22'; 5337-40'; 5358-59'.
- 4 - RD Wireline company. Return well to production.

Waiting on your approval to begin work.

3 - BLM, 2- Utah OG&M, 1 - Denver, 1 - file Word file-server

RECEIVED

SEP 10 2004

DIV. OF OIL, GAS & MINING

COPIES SENT TO OPERATOR

Date: 9-14-04  
Initials: C.H.D.

14. I hereby certify that the foregoing is true and correct.

Signed Dale Larsen

Title District Production Superintendent

Date

9/7/04

(This space for Federal or State office use)

Approved by:

Title

Accepted by the  
Utah Division of  
Oil, Gas and Mining

Federal Approval Of This  
Action Is Necessary

Conditions of approval, if any

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Date: 9/13/04

By: [Signature]

\*See instruction on Reverse Side

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

Budget Bureau No. 1004-0135

Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir  
Use "APPLICATION FOR PERMIT--" for such proposals

**SUBMIT IN TRIPLICATE**

1. Type of Well

Oil

Gas



Well



Well



Other

2. Name of Operator

**QEP, UINTA BASIN, INC.**

Contact: Dahn.Caldwell@questar.com

3. Address and Telephone No.

**11002 E. 17500 S. VERNAL, UT 84078-8526**

**435-781-4342 Fax 435-781-4357**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

**SESW, SEC 18-T7S-R24E, 660' FSL, 1836' FWL**

5. Lease Designation and Serial No.

**U-02148**

6. If Indian, Allottee or Tribe Name

**N/A**

7. If Unit or CA, Agreement Designation

**SUT08816148**

8. Well Name and No.

**RW 24-18C (#294)**

9. API Well No.

**43-047-31582**

10. Field and Pool, or Exploratory Area

**RED WASH - GREEN RIVER**

11. County or Parish, State

**UINTAH COUNTY, UTAH**

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION



Notice of Intent



Subsequent Report



Final Abandonment Notice

TYPE OF ACTION



Abandonment



Recompletion



Plugging Back



Casing Repair



Altering Casing



Other **RE-COMPLETION**



Change of Plans



New Construction



Non-Routine Fracturing



Water Shut-Off



Conversion to Injection



Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

**RECOMPLETION from 4/22/05 - 5/16/05**

- On 4/22/05 - Pumped 60 bbls to kill well, wouldn't die.
- MIRU WL. Run Gamma Ray log from PBD @ 5565' to 222'. Correlated the GR log to the Welex Induction log dated 2/3/85. Perforate interval 5358' - 5360', 5338' - 5340', 5320' - 5322' & 5274' - 5276'.
- PU RBP & PKR & RIH w/ tbg (172 jts) & set plug @ 5386'. Set PKR @ 5252'. Swab test.
- Set PKR @ 5288'. Plug was left @ 5386'. Swab test perfs @ 5320' - 5360'.
- Released PKR. Released RBP. Plug set @ 5298'. Set PKR @ 5252'. RU to swab test perfs 5274' - 5276'.
- Finish POOH and LD 1-3/8" tbg & pump off bit sub assembly & bit. RIH w/ 2-7/8" production string as follows
- Swab test. Release PKR & RBP. POOH w/ 2-7/8" tbg, PKR & RBP.
- MIRU WL. RIH w/ 7" CBP. Set plug @ 4900'.
- Perforate 4855' - 4860'. RIH w/ PKR & set @ 4774'.
- Tag plug @ 4900'. Drill up CBP.
- MIRU WL. RIH w/ 7" CBP & set plug @ 5380'. RIH w/ cmt retainer & set @ 5254'. RDMO WL.
- Sqz perfs 5358-60'; 5338-40'; 5320-22' & 5274-5276'. Pumped 150 sxs Class 'G' 15.8# PREM AG 300 slurry.
- Drilling out cmt from 5239' - 5254'. Finish drilling up cmt retainer. Drill up cmt & CBP.
- RIH w/ prduction tbg, BNC, 1 jt S/N, TAC, 176 jts of 2-7/8" tbg. Land on tbg flange @ 5531' w/ KB.
- 5/16/05 - RIH w/ new Rod Pump - RHAC 2-1/2x1-3/4x12x15x16, 124 - 3/4" rods, 94 - 7/8" rods, 1 - 8', 6', 4', 2' 7/8" pony rods, new 1-1/2" x 26' Polish Rod & stuffing box. Seat pump, test to 800#. RDMO service rig. Final report.

14. I hereby certify that the foregoing is true and correct.

Signed

**JIM SIMONTON**

Title

**COMPLETION SUPERVISOR**

Date

**9/29/05**

(This space for Federal or State office use)

Approved by:

Title

**RECEIVED**

**OCT 04 2005**

**DIV. OF OIL, GAS & MINING**

**CONFIDENTIAL**

FIELD:REDWASH		GL: 5643' KBE:5658'	Start Date:	Finish Date: 5-16-05																																																				
WELL NAME:RW #294 (24-18C)		TD: 5712' PBTD: 5605'	Current Well Status: (OIL/GAS)																																																					
Location: SE of SW SEC. 18 T 7S R 24E Uintah County, Utah		Reason for Pull/Workover:																																																						
Wellbore Schematic																																																								
<div><div><div>Surface casing Size 9 5/8" Weight 36# Grade K-55 Cemented W/250 SXS Set @ 222' Hole size 12 1/4"</div><div>EXCLUDED PERFS</div><div>OPEN PERFS</div><div>TOC @ 3390' BY CBL</div><div>5274'-76' 5320'-22' 5338'-40' 5358'-60'</div><div>4444'-54' 4464'-70' 4478'-82' 4718'-28' 4855'-60' 4970'-80' 5143'-47' 5149'-53 5203'-07' 5228'-34' 5406'-08' 5413'-19' 5425'-30' 5438'-40' 5444'-46' 5450'-52' 5460'-64' 5470'-74' 5498' 5500' 5532'-35' 5539'-42'</div><div>TAC @ 5498 PSN @ 5499.1 EOT @ 5531</div><div>PBTD @ 5605' TD @ 5712'</div></div><div><div>Tubing Landing Detail:</div><table><thead><tr><th>Description</th><th>Size</th><th>Footage</th><th>Depth</th></tr></thead><tbody><tr><td>KB to Tbg Head</td><td></td><td>15.00</td><td>15.00</td></tr><tr><td>STRECH</td><td></td><td>0.00</td><td>15.00</td></tr><tr><td>176 JTS</td><td>2 7/8"</td><td>5480.18</td><td>5495.18</td></tr><tr><td>TAC B-2</td><td>7"</td><td>2.80</td><td>5497.98</td></tr><tr><td>PSN</td><td>2 7/8"</td><td>1.10</td><td>5499.08</td></tr><tr><td>1 JT</td><td>2 7/8"</td><td>31.45</td><td>5530.53</td></tr><tr><td>BNC</td><td>2 7/8"</td><td>0.45</td><td>5530.98</td></tr><tr><td></td><td></td><td></td><td>5530.98</td></tr><tr><td>EOT</td><td></td><td></td><td>5530.98</td></tr></tbody></table><div>Tubing Information Condition: New:      Used:      Rerun: X Grade: J-55 Weight (#/ft): 6.50 Sucker Rod Detail:<table><thead><tr><th>Size</th><th>Rods</th><th>Centralized</th></tr></thead><tbody><tr><td>1"</td><td>0</td><td>PLAIN</td></tr><tr><td>7/8"</td><td>94</td><td>PLAIN</td></tr><tr><td>3/4"</td><td>124</td><td>PLAIN</td></tr></tbody></table></div><div>Rod Information Condition: New: X USED      RERUN Grade: D Manufacture:</div><div>Pump Information: API Designation 21/2"X113/4"X12"X15"X16"RHAC Example: Pump SN#:      ##      Original Run Date: 5/16/2005 RERUN      NEW RUN X</div><div>ESP Well      Flowing Well Cable Size:      "R" NIPPLE Pump Intake @      PKR @ End of Pump @      EOT @</div><div>Wellhead Detail: 7 1/16" 2000# X 7 1/16" 3000# 7 1/16" 5000# Other: HANGEFYES No X</div><div>SUMMARY 2/25/04 TBG LEAK TAG FILL @ 5571' 34' OF FILL 6/02/04 PUMP CHANGE RAISE TBG 4-23-05 thru 5-17-05 New perfs @ 4855'-60, 5274'-76', 5320'-22', 5338'-40', 5358'-60' Cement Squeeze perfs @ 5274'-76', 5320'-22', 5338'-40', 5358'-60' run new rods &amp; pump</div></div></div>					Description	Size	Footage	Depth	KB to Tbg Head		15.00	15.00	STRECH		0.00	15.00	176 JTS	2 7/8"	5480.18	5495.18	TAC B-2	7"	2.80	5497.98	PSN	2 7/8"	1.10	5499.08	1 JT	2 7/8"	31.45	5530.53	BNC	2 7/8"	0.45	5530.98				5530.98	EOT			5530.98	Size	Rods	Centralized	1"	0	PLAIN	7/8"	94	PLAIN	3/4"	124	PLAIN
Description	Size	Footage	Depth																																																					
KB to Tbg Head		15.00	15.00																																																					
STRECH		0.00	15.00																																																					
176 JTS	2 7/8"	5480.18	5495.18																																																					
TAC B-2	7"	2.80	5497.98																																																					
PSN	2 7/8"	1.10	5499.08																																																					
1 JT	2 7/8"	31.45	5530.53																																																					
BNC	2 7/8"	0.45	5530.98																																																					
			5530.98																																																					
EOT			5530.98																																																					
Size	Rods	Centralized																																																						
1"	0	PLAIN																																																						
7/8"	94	PLAIN																																																						
3/4"	124	PLAIN																																																						

Production casing  
Size 7.0" "  
Weight 23# & 26#  
Grade K-55  
Cemented  
W/  
Set @ 5698'  
Hole size 9.0"

Prepared By: Todd Seiffert      Date 5-17-05

CONFIDENTIAL

Division of Oil, Gas and Mining  
**OPERATOR CHANGE WORKSHEET**

**ROUTING**

1. DJJ
2. CDW

Change of Operator (Well Sold)

**X - Operator Name Change/Merger**

The operator of the well(s) listed below has changed, effective:

**1/1/2007**

<b>FROM: (Old Operator):</b> N2460-QEP Uinta Basin, Inc. 1050 17th St, Suite 500 Denver, CO 80265  Phone: 1 (303) 672-6900	<b>TO: ( New Operator):</b> N5085-Questar E&P Company 1050 17th St, Suite 500 Denver, CO 80265  Phone: 1 (303) 672-6900
---	--

CA No.				Unit:		RED WASH UNIT		
WELL NAME	SEC TWN RNG			API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LISTS				*				

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/19/2007
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/16/2007
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 1/31/2005
- Is the new operator registered in the State of Utah: Business Number: 764611-0143
- (R649-9-2) Waste Management Plan has been received on: IN PLACE
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: n/a
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 4/23/2007 BIA
- Federal and Indian Units:**  
The BLM or BIA has approved the successor of unit operator for wells listed on: 4/23/2007
- Federal and Indian Communization Agreements ("CA"):**  
The BLM or BIA has approved the operator for all wells listed within a CA on: \_\_\_\_\_
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: \_\_\_\_\_

**DATA ENTRY:**

- Changes entered in the **Oil and Gas Database** on: 4/30/2007 and 5/15/2007
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 4/30/2007 and 5/15/2007
- Bond information entered in RBDMS on: 4/30/2007 and 5/15/2007
- Fee/State wells attached to bond in RBDMS on: 4/30/2007 and 5/15/2007
- Injection Projects to new operator in RBDMS on: 4/30/2007 and 5/15/2007
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

**BOND VERIFICATION:**

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 799446
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965003033
- The **FORMER** operator has requested a release of liability from their bond on: n/a

**LEASE INTEREST OWNER NOTIFICATION:**

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

**COMMENTS: THIS IS A COMPANY NAME CHANGE.**

**SOME WELL NAMES HAVE BEEN CHANGED AS REQUESTED**

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 1 (41-26B)	RW 41-26B	NENE	26	070S	230E	4304715135	5670	Federal	OW	TA
RWU 3 (34-23B)	RW 34-23B	SWSE	23	070S	230E	4304715136	5670	Federal	OW	P
RWU 4 (41-22B)	RW 41-22B	NENE	22	070S	230E	4304715137	5670	Federal	OW	TA
RWU 5 (41-23B)	RW 41-23B	NENE	23	070S	230E	4304715138	5670	Federal	OW	P
RWU 8 (32-22B)	RW 32-22B	SWNE	22	070S	230E	4304715139	5670	Federal	OW	P
RWU 9 (43-23B)	RW 43-23B	NESE	23	070S	230E	4304715140	5670	Federal	OW	P
RWU 10 (12-23B)	RW 12-23B	SWNW	23	070S	230E	4304715141	5670	Federal	OW	TA
RWU 11	RW 34-27B	SWSE	27	070S	230E	4304715142	99996	Federal	WI	A
RWU 13 (14-22B)	RW 14-22B	SWSW	22	070S	230E	4304715143	5670	Federal	OW	TA
RW 14-13B	RW 14-13B	SWSW	13	070S	230E	4304715144	99996	Federal	WI	A
RWU 15 (32-17C)	RW 32-17C	SWNE	17	070S	240E	4304715145	5670	Federal	OW	P
RWU 17 (41-20B)	RW 41-20B	NENE	20	070S	230E	4304715146	5670	Federal	WI	A
RWU 19 (34-26B)	RW 34-26B	SWSE	26	070S	230E	4304715148	5670	Federal	GW	S
RWU 21 (32-14B)	RW 32-14B	SWNE	14	070S	230E	4304715150	5670	Federal	OW	P
RWU 23 (21-23B)	RW 21-23B	SENW	23	070S	230E	4304715151	99996	Federal	WI	A
RWU 24 (34-14B)	RW 34-14B	SWSE	14	070S	230E	4304715152	5670	Federal	OW	S
RWU 26 (23-22B)	RW 23-22B	NESW	22	070S	230E	4304715153	5670	Federal	OW	TA
RWU 27 (43-14B)	RW 43-14B	NESE	14	070S	230E	4304715154	5670	Federal	OW	TA
RWU 28 (43-22B)	RW 43-22B	NESE	22	070S	230E	4304715155	5670	Federal	OW	P
RWU 29 (32-23B)	RW 32-23B	SWNE	23	070S	230E	4304715156	5670	Federal	OW	P
RW 23-13B	RW 23-13B	NESW	13	070S	230E	4304715157	5670	Federal	GW	TA
RWU 31 (34-22B)	RW 34-22B	SWSE	22	070S	230E	4304715158	5670	Federal	OW	P
RWU 33 (14-14B)	RW 14-14B	SWSW	14	070S	230E	4304715160	5670	Federal	GW	TA
RWU 34 (23-14B)	RW 23-14B	NESW	14	070S	230E	4304715161	99996	Federal	WI	A
RW 43-13B	RW 43-13B	NESE	13	070S	230E	4304715162	5670	Federal	OW	TA
RWU 36 (32-13B)	RW 32-13B	SWNE	13	070S	230E	4304715163	5670	Federal	GW	P
RWU 38 (14-23B)	RW 14-23B	SWSW	23	070S	230E	4304715165	5670	Federal	OW	P
RWU 39 (14-24A)	RW 14-24A	SWSW	24	070S	220E	4304715166	5670	Federal	OW	TA
RWU 40 (21-24B)	RW 21-24B	NENW	24	070S	230E	4304715167	5670	Federal	OW	TA
RWU 41 (34-13B)	RW 34-13B	SWSE	13	070S	230E	4304715168	5670	Federal	OW	P
RWU 42 (21-29C)	RW 21-29C	NENW	29	070S	240E	4304715169	5670	Federal	GW	P
RWU 43 (12-17B)	RW 12-17B	SWNW	17	070S	230E	4304715170	5670	Federal	OW	P
RWU 44 (32-33C)	RW 32-33C	SWNE	33	070S	240E	4304715171	5670	Federal	GW	P
RWU 45 (23-30B)	RW 23-30B	NESW	30	070S	230E	4304715172	5670	Federal	OW	TA
RWU 46 (41-21C)	RW 41-21C	NENE	21	070S	240E	4304715173	5670	Federal	GW	TA
RWU 48 (32-19B)	RW 32-19B	SWNE	19	070S	230E	4304715174	99996	Federal	WI	I
RWU 49 (12-29B)	RW 12-29B	SWNW	29	070S	230E	4304715175	5670	Federal	OW	TA
RWU 50 (14-23A)	RW 14-23A	SWSW	23	070S	220E	4304715176	5670	Federal	OW	P
RWU 52 (14-18B)	RW 14-18B	SWSW	18	070S	230E	4304715178	5670	Federal	OW	TA
RWU 53 (41-25A)	RW 41-25A	NENE	25	070S	220E	4304715179	5670	Federal	OW	TA
RWU 56 (41-28B)	RW 41-28B	NENE	28	070S	230E	4304715182	99996	Federal	WI	A



QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 57 (12-18C)	RW 12-18C	SWNW	18	070S	240E	4304715183	5670	Federal	OW	P
RWU 63 (21-22B)	RW 21-22B	NENW	22	070S	230E	4304715186	5670	Federal	GW	TA
RWU 64 (32-27B)	RW 32-27B	SWNE	27	070S	230E	4304715187	5670	Federal	OW	TA
RWU 66 (34-18B)	RW 34-18B	SWSE	18	070S	230E	4304715189	5670	Federal	OW	P
RWU 67 (42-22B)	RW 42-22B	SENE	22	070S	230E	4304715190	5670	Federal	OW	TA
RWU 69 (21-27B)	RW 21-27B	NENW	27	070S	230E	4304715191	5670	Federal	OW	TA
RWU 70 (23-22A)	RW 23-22A	NESW	22	070S	220E	4304715192	5670	Federal	OW	P
RWU 71 (21-18C)	RW 21-18C	NENW	18	070S	240E	4304715193	5670	Federal	OW	P
RWU 72 (23-27B)	RW 23-27B	NESW	27	070S	230E	4304715194	5670	Federal	OW	TA
RWU 74 (12-13B)	RW 12-13B	SWNW	13	070S	230E	4304715196	5670	Federal	GW	S
RWU 75 (21-26B)	RW 21-26B	NENW	26	070S	230E	4304715197	5670	Federal	OW	TA
RWU 76 (32-18C)	RW 32-18C	SWNE	18	070S	240E	4304715198	5670	Federal	GW	P
RWU 77 (21-13B)	RWU 77 (21-13B)	NENW	13	070S	230E	4304715199	5670	Federal	OW	P
RWU 78 (32-28B)	RW 32-28B	SWNE	28	070S	230E	4304715200	5670	Federal	OW	P
RWU 79 (12-27B)	RW 12-27B	SWNW	27	070S	230E	4304715201	5670	Federal	OW	TA
RWU 80 (14-27B)	RW 14-27B	SWSW	27	070S	230E	4304715202	5670	Federal	OW	S
RWU 81 (41-31B)	RW 41-31B	NENE	31	070S	230E	4304715203	5670	Federal	OW	P
RWU 83 (41-27A)	RW 41-27A	NENE	27	070S	220E	4304715205	5670	Federal	OW	P
RWU 84 (44-14B)	RW 44-14B	SESE	14	070S	230E	4304715206	5670	Federal	GW	P
RWU 88 (23-18B)	RW 23-18B	NESW	18	070S	230E	4304715210	5670	Federal	WI	A
RWU 90 (43-21B)	RW 43-21B	NESE	21	070S	230E	4304715211	5670	Federal	OW	P
RWU 92 (11-23B)	RW 11-23B	NWNW	23	070S	230E	4304715212	5670	Federal	OW	TA
RWU 94 (12-22A)	RW 12-22A	SWNW	22	070S	220E	4304715213	5670	Federal	OW	P
RWU 23-18C (97)	RW 23-18C	NESW	18	070S	240E	4304715216	99996	Federal	WI	I
RWU 99 (12-22B)	RW 12-22B	SWNW	22	070S	230E	4304715218	5670	Federal	OW	P
RWU 100-A (43-21A)	RW 43-21A	NESE	21	070S	220E	4304715219	5670	Federal	WI	A
RWU 101 (34-21B)	RW 34-21B	SWSE	21	070S	230E	4304715220	5670	Federal	OW	P
RWU 102 (41-24A)	RW 41-24A	SENE	24	070S	220E	4304715221	5670	Federal	WI	A
RWU 103 (34-15B)	RW 34-15B	SWSE	15	070S	230E	4304715222	5670	Federal	OW	P
RWU 108 (32-21B)	RW 32-21B	SWNE	21	070S	230E	4304715226	5670	Federal	OW	P
RWU 109 (21-28B)	RW 21-28B	NENW	28	070S	230E	4304715227	5670	Federal	OW	P
RWU 110 (23-23A)	RW 23-23A	NESW	23	070S	220E	4304715228	5670	Federal	OW	P
RWU 111 (32-24A)	RW 32-24A	SWNE	24	070S	220E	4304715229	5670	Federal	OW	S
RWU 112 (32-28A)	RW 32-28A	SWNE	28	070S	220E	4304715230	5670	Federal	OW	S
RWU 115 (21-19B)	RW 21-19B	NENW	19	070S	230E	4304715233	5670	Federal	OW	P
RWU 119 (43-29A)	RW 43-29A	NESE	29	070S	220E	4304715236	5670	Federal	OW	P
RWU 120 (23-28B)	RW 23-28B	NESW	28	070S	230E	4304715237	5670	Federal	OW	TA
RW 13-13B	RW 13-13B	NWSW	13	070S	230E	4304715238	5670	Federal	GW	P
RWU 122 (24-14B)	RW 24-14B	SESW	14	070S	230E	4304715239	5670	Federal	OW	P
RWU 125 (34-19B)	RW 34-19B	SWSE	19	070S	230E	4304715242	5670	Federal	OW	TA
RWU 126 (41-29A)	RW 41-29A	NENE	29	070S	220E	4304715243	5670	Federal	OW	P



QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 127 (12-19B)	RW 12-19B	SWNW	19	070S	230E	4304715244	5670	Federal	OW	S
RWU 129 (14-15B)	RW 14-15B	SWSW	15	070S	230E	4304715246	5670	Federal	OW	P
RWU 133 (41-34B)	RW 41-34B	NENE	34	070S	230E	4304715250	5670	Federal	OW	P
RWU 136 (43-19B)	RW 43-19B	NESE	19	070S	230E	4304715252	5670	Federal	OW	TA
RWU 137 (34-28B)	RW 34-28B	SWSE	28	070S	230E	4304715253	5670	Federal	GW	TA
RWU 138 (41-30B)	RW 41-30B	NENE	30	070S	230E	4304715254	5670	Federal	OW	P
RWU 140 (24-22B)	RW 24-22B	SESW	22	070S	230E	4304715255	5670	Federal	OW	P
RWU 141 (11-27B)	RW 11-27B	NWNW	27	070S	230E	4304715256	5670	Federal	OW	TA
RWU 143 (33-14B)	RW 33-14B	NWSE	14	070S	230E	4304715257	5670	Federal	OW	P
RWU 144 (21-18B)	RW 21-18B	NENW	18	070S	230E	4304715258	5670	Federal	OW	TA
RW 24-13B	RW 24-13B	SESW	13	070S	230E	4304715259	5670	Federal	OW	TA
RWU 147 (22-22B)	RW 22-22B	SESW	22	070S	230E	4304715260	5670	Federal	OW	TA
RWU 148 (13-22B)	RW 13-22B	NWSW	22	070S	230E	4304715261	99996	Federal	WI	A
RWU 150 (31-22B)	RW 31-22B	NWNE	22	070S	230E	4304715263	99996	Federal	WI	I
RWU 151 (42-14B)	RW 42-14B	SENE	14	070S	230E	4304715264	5670	Federal	OW	P
RWU 153 (14-29B)	RW 14-29B	SWSW	29	070S	230E	4304715265	5670	Federal	OW	P
RWU 156 (23-15B)	RW 23-15B	NESW	15	070S	230E	4304715267	99990	Federal	WI	A
RWU 158 (32-30B)	RW 32-30B	SWNE	30	070S	230E	4304715268	5670	Federal	OW	P
RWU 160 (32-15B)	RW 32-15B	SWNE	15	070S	230E	4304715270	5670	Federal	OW	P
RWU 161 (14-20B)	RW 14-20B	SWSW	20	070S	230E	4304715271	99996	Federal	WI	I
RWU 162 (12-20B)	RW 12-20B	SWNW	20	070S	230E	4304715272	5670	Federal	OW	P
RWU 164 (12-28B)	RW 12-28B	SWNW	28	070S	230E	4304715274	5670	Federal	OW	P
RWU 165 (32-26B)	RW 32-26B	SWNE	26	070S	230E	4304715275	5670	Federal	GW	TA
RWU 167 (23-21B)	RW 23-21B	NESW	21	070S	230E	4304715277	5670	Federal	OW	S
RWU 168 (23-24B)	RW 23-24B	NESW	24	070S	230E	4304715278	5670	Federal	OW	TA
RWU 172 (21-30B)	RW 21-30B	NENW	30	070S	230E	4304715280	5670	Federal	OW	TA
RWU 174 (21-20B)	RW 21-20B	NENW	20	070S	230E	4304715281	5670	Federal	WI	A
RWU 176 (31-28B)	RW 31-28B	NWNE	28	070S	230E	4304715283	5670	Federal	OW	TA
RWU 177 (42-28B)	RW 42-28B	SENE	28	070S	230E	4304715284	5670	Federal	OW	TA
RW 22-13B	RW 22-13B	SESW	13	070S	230E	4304715285	5670	Federal	OW	TA
RWU 180 (31-23B)	RW 31-23B	NWNE	23	070S	230E	4304715287	5670	Federal	OW	TA
RWU 181 (34-30B)	RW 34-30B	SWSE	30	070S	230E	4304715288	5670	Federal	OW	P
RW 33-13B	RW 33-13B	NWSE	13	070S	230E	4304715289	5670	Federal	WI	A
RWU 184 (23-26B)	RW 23-26B	NESW	26	070S	230E	4304715290	5670	Federal	GW	S
RWU 188 (23-20B)	RW 23-20B	NESW	20	070S	230E	4304715291	5670	Federal	OW	TA
RWU 192 (41-33A)	RW 41-33A	NENE	33	070S	220E	4304715294	5670	Federal	OW	P
RWU 193 (43-24B)	RW 43-24B	NESE	24	070S	230E	4304715295	5670	Federal	GW	TA
RWU 194 (12-14B)	RW 12-14B	SWNW	14	070S	230E	4304715296	5670	Federal	OW	S
RWU 196 (23-17C)	RW 23-17C	NESW	17	070S	240E	4304715298	5670	Federal	GW	TA
RWU 199 (43-22A)	RW 43-22A	NESE	22	070S	220E	4304715301	99996	Federal	WI	A
RWU 201 (32-28C)	RW 32-28C	SWNE	28	070S	240E	4304715302	5670	Federal	GW	P



QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 202 (21-34A)	RW 21-34A	NENW	34	070S	220E	4304715303	99996	Federal	WI	I
RWU 204 (23-25A)	RW 23-25A	NESW	25	070S	220E	4304715305	5670	Federal	OW	P
RWU 205 (23-21C)	RW 23-21C	NESW	21	070S	240E	4304715306	5670	Federal	GW	TA
RWU 2 (14-24B)	RW 14-24B	SWSW	24	070S	230E	4304716472	99996	Federal	WI	A
RWU 7 (41-27B)	RW 41-27B	NENE	27	070S	230E	4304716473	99996	Federal	WI	I
RWU 16 (43-28B)	RW 43-28B	NESE	28	070S	230E	4304716475	99996	Federal	WI	I
RWU 25 (23-23B)	RW 23-23B	NESW	23	070S	230E	4304716476	99996	Federal	WI	A
RWU 59 (12-24B)	RW 12-24B	SWNW	24	070S	230E	4304716477	99996	Federal	WI	A
RWU 61 (12-27A)	RW 12-27A	SWNW	27	070S	220E	4304716478	99996	Federal	WI	I
RWU 91 (33-22B)	RW 33-22B	NWSE	22	070S	230E	4304716479	99996	Federal	WI	A
RWU 93 (43-27B)	RW 43-27B	NESE	27	070S	230E	4304716480	99996	Federal	WI	I
RWU 6 (41-21B)	RW 41-21B	NENE	21	070S	230E	4304716482	99996	Federal	WI	A
RWU 68 (41-13B)	RW 41-13B	NENE	13	070S	230E	4304716485	99996	Federal	WI	I
RWU 170 (41-15B)	RW 41-15B	NENE	15	070S	230E	4304716495	99996	Federal	WI	I
RWU 173 (21-21B)	RW 21-21B	NENW	21	070S	230E	4304716496	99996	Federal	WI	A
RWU 182 (14-21B)	RW 14-21B	SWSW	21	070S	230E	4304716497	99996	Federal	WI	A
RWU 185 (41-1B)	RW 41-14B	NENE	14	070S	230E	4304716498	99996	Federal	WI	A
RWU 212 (41-8F)	RW 41-8F	NENE	08	080S	240E	4304720014	5670	Federal	GW	P
RWU 213 (41-33B)	RW 41-33B	NENE	33	070S	230E	4304720060	99996	Federal	WD	A
RWU 215 (43-28A)	RW 43-28A	NESE	28	070S	220E	4304730058	99996	Federal	WD	A
RWU 216 (21-27A)	RW 21-27A	NENW	27	070S	220E	4304730103	99996	Federal	WI	A
RWU 219 (44-21C)	RW 44-21C	SESE	21	070S	240E	4304730149	5670	Federal	GW	S
RWU 220 (22-23B)	RW 22-23B	SENW	23	070S	230E	4304730192	5670	Federal	OW	TA
RWU 221 (13-27B)	RW 13-27B	NWSW	27	070S	230E	4304730199	5670	Federal	OW	TA
RWU 222 (31-27B)	RW 31-27B	NWNE	27	070S	230E	4304730200	5670	Federal	GW	TA
RWU 224 (44-22B)	RW 44-22B	SESE	22	070S	230E	4304730202	5670	Federal	GW	TA
RWU 225 (13-23B)	RW 13-23B	NWSW	23	070S	230E	4304730212	5670	Federal	GW	TA
RWU 226 (24-23B)	RW 24-23B	SESW	23	070S	230E	4304730249	5670	Federal	GW	S
RWU 227 (14-26B)	RW 14-26B	SWSW	26	070S	230E	4304730257	5670	Federal	OW	TA
RWU 228 (21-34B)	RW 21-34B	NENW	34	070S	230E	4304730258	5670	Federal	OW	P
RWU 229 (43-26B)	RW 43-26B	NESE	26	070S	230E	4304730259	5670	Federal	OW	TA
RWU 230 (14-18C)	RW 14-18C	SWSW	18	070S	240E	4304730309	5670	Federal	OW	P
RWU 231 (21-35B)	RW 21-35B	NENW	35	070S	230E	4304730310	5670	Federal	OW	TA
RWU 232 (12-26B)	RW 12-26B	SWNW	26	070S	230E	4304730311	5670	Federal	OW	TA
RWU 233 (12-25B)	RW 12-25B	SWNW	25	070S	230E	4304730312	5670	Federal	OW	TA
RWU 234 (32-24B)	RW 32-24B	SWNE	24	070S	230E	4304730313	5670	Federal	OW	P
RWU 235 (34-18C)	RW 34-18C	SWSE	18	070S	240E	4304730314	5670	Federal	OW	S
RWU 236 (21-19C)	RW 21-19C	NENW	19	070S	240E	4304730340	5670	Federal	GW	P
RWU 237 (14-25B)	RW 14-25B	SWSW	25	070S	230E	4304730341	5670	Federal	OW	P
RWU 238 (32-35B)	RW 32-35B	SWNE	35	070S	230E	4304730342	5670	Federal	OW	TA
RWU 239 (41-35B)	RW 41-35B	NENE	35	070S	230E	4304730343	5670	Federal	OW	TA



QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 240 (12-36B)	RW 12-36B	SWNW	36	070S	230E	4304730344	5670	Federal	OW	S
RWU 241 (22-14B)	RW 22-14B	SENW	14	070S	230E	4304730345	5670	Federal	OW	P
RW 42-13B	RW 42-13B	SENE	13	070S	230E	4304730346	5670	Federal	OW	P
RWU 243 (42-18C)	RW 42-18C	SENE	18	070S	240E	4304730347	5670	Federal	OW	TA
RWU 244 (23-19C)	RW 23-19C	NESW	19	070S	240E	4304730348	5670	Federal	GW	P
RWU 246 (22-18C)	RW 22-18C	SENW	18	070S	240E	4304730387	5670	Federal	OW	P
RWU 247 (22-17C)	RW 22-17C	SENW	17	070S	240E	4304730388	5670	Federal	GW	P
RWU 258 (34-22A)	RW 34-22A	SWSE	22	070S	220E	4304730458	5670	Federal	WI	A
RWU 262 (22-26B)	RW 22-26B	SENW	26	070S	230E	4304730517	5670	Federal	GW	TA
RWU 263 (24-26B)	RW 24-26B	SESW	26	070S	230E	4304730518	99996	Federal	WI	I
RWU 264 (31-35B)	RW 31-35B	NWNE	35	070S	230E	4304730519	99996	Federal	WI	A
RWU 265 (44-26B)	RW 44-26B	SESE	26	070S	230E	4304730520	5670	Federal	GW	P
RWU 266 (33-26B)	RW 33-26B	NWSE	26	070S	230E	4304730521	99996	Federal	WI	I
RWU 269 (13-26B)	RW 13-26B	NWSW	26	070S	230E	4304730522	99996	Federal	WI	A
RWU 273 (42-27B)	RW 42-27B	SENE	27	070S	230E	4304731051	5670	Federal	OW	TA
RWU 279 (11-36B)	RW 11-36B	NWNW	36	070S	230E	4304731052	99996	Federal	WI	A
RWU 276 (44-27B)	RW 44-27B	SESE	27	070S	230E	4304731053	5670	Federal	OW	TA
RWU 272 (44-23B)	RW 44-23B	SESE	23	070S	230E	4304731054	5670	Federal	GW	P
RWU 278 (11-26)	RW 11-26	NWNW	26	070S	230E	4304731076	5670	Federal	GW	TA
RWU 275 (31-26B)	RW 31-26B	NWNE	26	070S	230E	4304731077	99996	Federal	WI	A
RWU 280 (11-35B)	RW 11-35B	NWNW	35	070S	230E	4304731079	5670	Federal	OW	P
RWU 282 (42-26B)	RW 42-26B	SENE	26	070S	230E	4304731080	5670	Federal	GW	TA
RWU 271 (42-35B)	RW 42-35B	SENE	35	070S	230E	4304731081	5670	Federal	WI	I
RWU 270 (22-35B)	RW 22-35B	SENW	35	070S	230E	4304731082	5670	Federal	OW	P
RWU 284 (33-23B)	RW 33-23B	NWSE	23	070S	230E	4304731476	5670	Federal	GW	TA
RWU 285 (11-24B)	RW 11-24B	NWNW	24	070S	230E	4304731477	5670	Federal	OW	P
RWU 286 (42-21B)	RW 42-21B	SENE	21	070S	230E	4304731478	5670	Federal	OW	P
RW 44-13B	RW 44-13B	SESE	13	070S	230E	4304731512	5670	Federal	OW	TA
RWU 288 (24-27)	RW 24-27	SESW	27	070S	230E	4304731513	5670	Federal	OW	TA
RWU 289 (13-24B)	RW 13-24B	NWSW	24	070S	230E	4304731517	5670	Federal	OW	P
RWU 292 (42-23B)	RW 42-23B	SENE	23	070S	230E	4304731576	5670	Federal	GW	TA
RWU 295 (11-22B)	RW 11-22B	NWNW	22	070S	230E	4304731577	5670	Federal	GW	TA
RWU 296 (12-35B)	RW 12-35B	SWNW	35	070S	230E	4304731578	5670	Federal	OW	S
RWU 297 (24-15B)	RW 24-15B	SESW	15	070S	230E	4304731579	5670	Federal	OW	P
RWU 293 (22-22A)	RW 22-22A	SENW	22	070S	220E	4304731581	5670	Federal	OW	TA
RWU 294 (24-18C)	RW 24-18C	SESW	18	070S	240E	4304731582	5670	Federal	GW	P
RWU 298 (22-27B)	RW 22-27B	SENW	27	070S	230E	4304731679	5670	Federal	OW	TA
RWU 301 (43-15B)	RW 43-15B	NESE	15	070S	230E	4304731682	5670	Federal	GW	TA
RWU 302 (22-24B)	RW 22-24B	SENW	24	070S	230E	4304731683	5670	Federal	GW	TA
RWU 303 (34-17B)	RW 34-17B	SWSE	17	070S	230E	4304731819	5670	Federal	OW	P
RED WASH 305 (41-4F)	RW 41-4F	C-NE	04	080S	240E	4304732538	5670	Federal	GW	TA

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RED WASH 306	RW 23-23C	NESW	23	070S	240E	4304732629	5670	Federal	GW	P
RWU 207	RW 14-17B	SWSW	17	070S	230E	4304732738	5670	Federal	OW	P
RED WASH UNIT 261	RW 23-17B	NESW	17	070S	230E	4304732739	5670	Federal	WI	A
RWU 268 (43-17B)	RW 43-17B	NESE	17	070S	230E	4304732980	5670	Federal	WI	A
RWU 267 (32-17B)	RW 32-17B	SWNE	17	070S	230E	4304732981	5670	Federal	OW	P
RWU 283 (43-18B)	RW 43-18B	NESE	18	070S	230E	4304732982	5670	Federal	WI	A
RWU 299 (32-18B)	RW 32-18B	SWNE	18	070S	230E	4304733018	5670	Federal	OW	P
RWU 42-20B	RW 42-20B	SENE	20	070S	230E	4304733490	5670	Federal	OW	P
RWU 22-20B	RW 22-20B	SENE	20	070S	230E	4304733491	5670	Federal	OW	S
RWU 24-19B	RW 24-19B	SESW	19	070S	230E	4304733492	5670	Federal	OW	P
RWU 13-19B	RW 13-19B	NWSW	19	070S	230E	4304733497	5670	Federal	WI	A
RWU 13-20B	RW 13-20B	NWSW	20	070S	230E	4304733498	5670	Federal	WI	A
RWU 33-19B	RW 33-19B	NWSE	19	070S	230E	4304733499	5670	Federal	WI	A
RWU 33-20B	RW 33-20B	NWSE	20	070S	230E	4304733500	5670	Federal	WI	A
RED WASH 22-21B	RW 22-21B	SENE	21	070S	230E	4304733522	5670	Federal	OW	S
RED WASH 24-20B	RW 24-20B	SESW	20	070S	230E	4304733523	5670	Federal	OW	P
RED WASH 44-19B	RW 44-19B	SESE	19	070S	230E	4304733524	5670	Federal	OW	P
RED WASH 44-20B	RW 44-20B	SESE	20	070S	230E	4304733525	5670	Federal	OW	P
RWU 11-19B	RW 11-19B	NWNW	19	070S	230E	4304733552	5670	Federal	WI	A
RWU 11-20B	RW 11-20B	NWNW	20	070S	230E	4304733553	5670	Federal	WI	A
RWU 24-18B	RW 24-18B	SESW	18	070S	230E	4304733554	5670	Federal	OW	P
RWU 31-19B	RW 31-19B	NWNE	19	070S	230E	4304733555	5670	Federal	WI	A
RWU 42-19B	RW 42-19B	SENE	19	070S	230E	4304733556	5670	Federal	OW	P
RWU 22-19B	RW 22-19B	SENE	19	070S	230E	4304733559	5670	Federal	OW	P
RWU 23-24A	RW 23-24A	NESW	24	070S	220E	4304733567	5670	Federal	OW	P
RWU 34-24A	RW 34-24A	SWSE	24	070S	220E	4304733568	5670	Federal	WI	A
RWU 42-24A	RW 42-24A	SENE	24	070S	220E	4304733569	5670	Federal	OW	S
RWU 11-25A	RW 11-25A	NWNW	25	070S	220E	4304733574	5670	Federal	WI	A
RWU 13-25A	RW 13-25A	NWSW	25	070S	220E	4304733575	5670	Federal	WI	A
RWU 21-25A	RW 21-25A	NENW	25	070S	220E	4304733576	5670	Federal	OW	P
RWU 31-25A	RW 31-25A	NWNE	25	070S	220E	4304733577	5670	Federal	WI	A
RWU 33-25A	RW 33-25A	NWSE	25	070S	220E	4304733578	5670	Federal	WI	A
RW 41-25AX	RW 41-25A	NENE	25	070S	220E	4304733579	5670	Federal	OW	P
RWU 42-25A	RWU 42-25A	SENE	25	070S	220E	4304733580	5670	Federal	OW	TA
RWU 11-29B	RW 11-29B	NWNW	29	070S	230E	4304733590	5670	Federal	WI	A
RWU 12-24A	RW 12-24A	SWNW	24	070S	220E	4304733591	5670	Federal	WI	A
RWU 21-24A	RW 21-24A	NENW	24	070S	220E	4304733592	5670	Federal	OW	P
RWU 34-13A	RW 34-13A	SWSE	13	070S	220E	4304733593	5670	Federal	WI	A
RWU 44-18B	RW 44-18B	SESE	18	070S	230E	4304733594	5670	Federal	OW	P
RW 22-13A	RW 22-13A	SENE	13	070S	220E	4304733765	13296	Federal	OW	S
RWU 22-29B	RW 22-29B	SENE	29	070S	230E	4304733766	5670	Federal	OW	S



QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 41-24A	RW 41-24A	NENE	24	070S	220E	4304733769	5670	Federal	OW	P
RWU 42-30B	RW 42-30B	SENE	30	070S	230E	4304733771	5670	Federal	OW	P
RWU 44-30B	RWU 44-30B	SESE	30	070S	230E	4304733772	5670	Federal	OW	P
RWU 11-30B	RW 11-30B	NWNW	30	070S	230E	4304733785	5670	Federal	WI	A
RWU 22-25A	RW 22-25A	SENE	25	070S	220E	4304733786	5670	Federal	OW	P
RWU 31-30B	RW 31-30B	NWNE	30	070S	230E	4304733788	5670	Federal	WI	A
RWU 33-30B	RW 33-30B	NWSE	30	070S	230E	4304733790	5670	Federal	WI	A
RED WASH U 34-27C	RW 34-27C	SWSE	27	070S	240E	4304735045	5670	Federal	GW	P
RWU 34-22C	RW 34-22C	SWSE	22	070S	240E	4304735098	5670	Federal	GW	P
RW 12G-20C	RW 12G-20C	SWNW	20	070S	240E	4304735239	14011	Federal	GW	S
RW 43G-08F	RW 43G-08F	NESE	08	080S	240E	4304735655		Federal	GW	APD
RW 22G-09F	RW 22G-09F	SENE	09	080S	240E	4304735656	15636	Federal	GW	OPS
RWU 34-23AG	RW 34-23AG	SWSE	23	070S	220E	4304735668	5670	Federal	OW	P
RWU 34-27AG	RWU 34-27AD	SWSE	27	070S	220E	4304735669	5670	Federal	OW	DRL
RWU 32-27AG	RWU 32-27AG	SWNE	27	070S	220E	4304735670	5670	Federal	OW	S
RW 14-34AMU	RW 14-34AMU	SWSW	34	070S	220E	4304735671	14277	Federal	GW	P
RW 12-08FG	RW 12-08FG	SWNW	08	080S	240E	4304736348		Federal	GW	APD
RW 44-08FG	RW 44-08FG	SESE	08	080S	240E	4304736349	15261	Federal	GW	P
RW 12-17FG	RW 12-17FG	SWNW	17	080S	240E	4304736350		Federal	GW	APD
RW 34-34 AMU	RW 34-34 AD	SWSE	34	070S	220E	4304736351		Federal	GW	APD
RW 44-35 AMU	RW 44-35 AMU	SESE	35	070S	220E	4304736352		Federal	GW	APD
RW 14-35 AMU	RW 14-35 AMU	SWSW	35	070S	220E	4304736354		Federal	GW	APD
RW 33-31 BMU	RW 33-31 BD	NWSE	31	070S	230E	4304736357		Federal	GW	APD
RW 13-31 BMU	RW 13-31 BD	NWSW	31	070S	230E	4304736358		Federal	GW	APD
RW 32-15FG	RW 32-15FG	SWNE	15	080S	240E	4304736443		Federal	GW	APD
RW 21-26AG	RW 21-26AD	NENW	26	070S	220E	4304736768		Federal	OW	APD
RW 43-26AG	RW 43-26AG	NESE	26	070S	220E	4304736769		Federal	OW	APD
RW 43-23AG	RW 43-23AG	NESE	23	070S	220E	4304736770		Federal	OW	APD
RW 41-26AG	RW 41-26AG	NENE	26	070S	220E	4304736818		Federal	OW	APD
RW 04-25BG	RW 04-25B	NWSW	25	070S	230E	4304736982		Federal	OW	APD
RW 01-25BG	RW 01-25BG	NWNW	25	070S	230E	4304736983		Federal	OW	APD
RW 04-26BG	RW 04-26BG	SESW	26	070S	230E	4304736984		Federal	OW	APD
RW 01-26BG	RW 01-26BG	SWNW	26	070S	230E	4304736985		Federal	OW	APD
RW 01-35BG	RW 01-35BG	SWNW	35	070S	230E	4304736986		Federal	OW	APD

## RED WASH UNIT

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 51 (12-16B)	RW 12-16B	SWNW	16	070S	230E	4304715177	5670	State	OW	P
RWU ST 189 (41-16B)	RW 41-16B	NENE	16	070S	230E	4304715292	5670	State	OW	S
RED WASH UNIT 259	RW 14-16B	SWSW	16	070S	230E	4304732785	5670	State	OW	P
RED WASH UNIT 260	RW 34-16B	SWSE	16	070S	230E	4304732786	5670	State	OW	P
RWU 324 (23-16B)	RW 23-16B	SESW	16	070S	230E	4304733084	5670	State	WI	OPS
RWU 21W-36A	RWU 21W-36A	NENW	36	070S	220E	4304733730		State	GW	LA
RWU 21G-36A	RWU 21G-36A	NENW	36	070S	220E	4304733731		State	OW	LA
RWU 41-36A	RWU 41-36A	NENE	36	070S	220E	4304733732		State	OW	LA
RWU 43-16B	RWU 43-16B	NESE	16	070S	230E	4304733733		State	OW	LA
RWU 21-16B	RWU 21-16B	NENW	16	070S	230E	4304733734		State	OW	LA
RWU 11-36A	RWU 11-36A	NWNW	36	070S	220E	4304733736		State	OW	LA
RWU 13-36A	RWU 13-36A	NWSW	36	070S	220E	4304733737		State	OW	LA
RW 32G-16C	RW 32G-16C	SWNE	16	070S	240E	4304735238	5670	State	GW	P
RW 14-36AMU	RW 14-36AMU	SWSW	36	070S	220E	4304736721		State	GW	APD
RW 01-36BG	RW 01-36BG	NWNW	36	070S	230E	4304736887	5670	State	OW	S
RW 24-16BG	RW 24-16BG	SESW	16	070S	230E	4304737746	5670	State	OW	DRL
RW 12-32BG	RW 12-32BG	SWNW	32	070S	230E	4304737946	15841	State	GW	DRL

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: see attached
2. NAME OF OPERATOR: QUESTAR EXPLORATION AND PRODUCTION COMPANY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached
3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 CITY Denver STATE CO ZIP 80265		7. UNIT or CA AGREEMENT NAME: see attached
PHONE NUMBER: (303) 308-3068		8. WELL NAME and NUMBER: see attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: attached		9. API NUMBER: attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		10. FIELD AND POOL, OR WILDCAT: COUNTY: Uintah STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: 1/1/2007	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: Operator Name Change
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective January 1, 2007 operator of record, QEP Uinta Basin, Inc., will hereafter be known as QUESTAR EXPLORATION AND PRODUCTION COMPANY. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:

Federal Bond Number: 965002976 (BLM Reference No. ESB000024)

Utah State Bond Number: 965003033

Fee Land Bond Number: 965003033

Current operator of record, QEP UINTA BASIN, INC., hereby resigns as operator of the properties as described on the attached list.

Jay B. Neese, Executive Vice President, QEP Uinta Basin, Inc.

Successor operator of record, QUESTAR EXPLORATION AND PRODUCTION COMPANY, hereby assumes all rights, duties and obligations as operator of the properties as described on the attached list

Jay B. Neese, Executive Vice President  
Questar Exploration and Production Company

NAME (PLEASE PRINT) Debra K. Stanberry TITLE Supervisor, Regulatory Affairs  
SIGNATURE DATE 3/16/2007

(This space for State use only)

RECEIVED

APR 19 2007

DIV. OF OIL, GAS & MINING

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL ☐ GAS WELL ☐ OTHER \_\_\_\_\_

2. NAME OF OPERATOR:

QUESTAR EXPLORATION AND PRODUCTION COMPANY

3. ADDRESS OF OPERATOR:

1050 17th Street Suite 500 City: Denver

STATE: CO ZIP: 80265

PHONE NUMBER:

(303) 308-3068

4. LOCATION OF WELL

FOOTAGES AT SURFACE: attached

COUNTY: Uintah

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE:

UTAH

5. LEASE DESIGNATION AND SERIAL NUMBER:  
see attached

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:  
see attached

7. UNIT or CA AGREEMENT NAME:  
see attached

8. WELL NAME and NUMBER:  
see attached

9. API NUMBER:  
attached

10. FIELD AND POOL, OR WILDCAT:

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☒ NOTICE OF INTENT  
(Submit in Duplicate)

Approximate date work will start:

1/1/2007

☐ SUBSEQUENT REPORT  
(Submit Original Form Only)

Date of work completion:

TYPE OF ACTION

☐ ACIDIZE

☐ ALTER CASING

☐ CASING REPAIR

☐ CHANGE TO PREVIOUS PLANS

☐ CHANGE TUBING

☐ CHANGE WELL NAME

☐ CHANGE WELL STATUS

☐ COMMINGLE PRODUCING FORMATIONS

☐ CONVERT WELL TYPE

☐ DEEPEN

☐ FRACTURE TREAT

☐ NEW CONSTRUCTION

☐ OPERATOR CHANGE

☐ PLUG AND ABANDON

☐ PLUG BACK

☐ PRODUCTION (START/RESUME)

☐ RECLAMATION OF WELL SITE

☐ RECOMPLETE - DIFFERENT FORMATION

☐ REPERFORATE CURRENT FORMATION

☐ SIDETRACK TO REPAIR WELL

☐ TEMPORARILY ABANDON

☐ TUBING REPAIR

☐ VENT OR FLARE

☐ WATER DISPOSAL

☐ WATER SHUT-OFF

☒ OTHER: Well Name Changes

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

PER THE ATTACHED LIST OF WELLS, QUESTAR EXPLORATION AND PRODUCTION COMPANY REQUESTS THAT THE INDIVIDUAL WELL NAMES BE UPDATED IN YOUR RECORDS.

NAME (PLEASE PRINT) Debra K. Stanberry

TITLE Supervisor, Regulatory Affairs

SIGNATURE

DATE 4/17/2007

(This space for State use only)

RECEIVED

APR 19 2007

DIV. OF OIL, GAS & MINING



# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155



IN REPLY REFER TO  
3180  
UT-922

April 23, 2007

Questar Exploration and Production Company  
1050 17th Street, Suite 500  
Denver, Colorado 80265

Re: Red Wash Unit  
Uintah County, Utah

Gentlemen:

On April 12, 2007, we received an indenture dated April 6, 2007, whereby QEP Uinta Basin, Inc. resigned as Unit Operator and Questar Exploration and Production Company was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective April 23, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Red Wash Unit Agreement.

Your nationwide oil and gas bond No. ESB000024 will be used to cover all federal operations within the Red Wash Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble  
Acting Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)  
SITLA  
Division of Oil, Gas & Mining  
File - Red Wash Unit (w/enclosure)  
Agr. Sec. Chron  
Reading File  
Central Files

UT922:TAThompson:tt:4/23/07

RECEIVED

APR 30 2007

DIV. OF OIL, GAS & MINING

Division of Oil, Gas and Mining  
**OPERATOR CHANGE WORKSHEET** (for state use only)

**ROUTING**  
**CDW**

Change of Operator (Well Sold)

**X - Operator Name Change**

The operator of the well(s) listed below has changed, effective:

**6/14/2010**

<b>FROM: (Old Operator):</b> N5085-Questar Exploration and Production Company 1050 17th St, Suite 500 Denver, CO 80265  Phone: 1 (303) 308-3048	<b>TO: ( New Operator):</b> N3700-QEP Energy Company 1050 17th St, Suite 500 Denver, CO 80265  Phone: 1 (303) 308-3048
--	---

**CA No.**

**Unit:**

**RED WASH**

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED								

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/28/2010
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/28/2010
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/24/2010
- Is the new operator registered in the State of Utah: Business Number: 764611-0143
- (R649-9-2) Waste Management Plan has been received on: Requested
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 8/16/2010 BIA not yet
- Federal and Indian Units:**  
The BLM or BIA has approved the successor of unit operator for wells listed on: 8/16/2010
- Federal and Indian Communization Agreements ("CA"):**  
The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
- Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to **Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 6/29/2010

**DATA ENTRY:**

- Changes entered in the **Oil and Gas Database** on: 6/30/2010
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/30/2010
- Bond information entered in RBDMS on: 6/30/2010
- Fee/State wells attached to bond in RBDMS on: 6/30/2010
- Injection Projects to new operator in RBDMS on: 6/30/2010
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

**BOND VERIFICATION:**

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 965010693
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965010695
- The **FORMER** operator has requested a release of liability from their bond on: n/a

**LEASE INTEREST OWNER NOTIFICATION:**

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

**COMMENTS:**



**STATE OF UTAH**  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>		5. LEASE DESIGNATION AND SERIAL NUMBER See attached
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: See attached
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		7. UNIT or CA AGREEMENT NAME: See attached
2. NAME OF OPERATOR: Questar Exploration and Production Company <i>N5085</i>		8. WELL NAME and NUMBER: See attached
3. ADDRESS OF OPERATOR: 1050 17th Street, Suite 500    CITY: Denver    STATE: CO    ZIP: 80265		9. API NUMBER: Attached
4. LOCATION OF WELL FOOTAGES AT SURFACE: See attached		10. FIELD AND POOL, OR WILDCAT: See attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		COUNTY: Attached  STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate)  Approximate date work will start: <u>6/14/2010</u>	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> ALTER CASING <input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> DEEPEN <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> PLUG BACK <input type="checkbox"/> PRODUCTION (START/RESUME) <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	<input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> WATER SHUT-OFF <input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only)  Date of work completion:			

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective June 14, 2010 Questar Exploration and Production Company changed its name to QEP Energy Company. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:

Federal Bond Number: 965002976 (BLM Reference No. ESB000024)

Utah State Bond Number: 965003033

Fee Land Bond Number: ~~965003033~~ *965010695*

BIA Bond Number: ~~799446~~ *965010693*

The attached document is an all inclusive list of the wells operated by Questar Exploration and Production Company. As of June 14, 2010 QEP Energy Company assumes all rights, duties and obligations as operator of the properties as described on the list

NAME (PLEASE PRINT) <u>Morgan Anderson</u>	TITLE <u>Regulatory Affairs Analyst</u>
SIGNATURE <i>Morgan Anderson</i>	DATE <u>6/23/2010</u>

(This space for State use only)

**RECEIVED**

**JUN 28 2010**

DIV. OF OIL, GAS & MINING

(See Instructions on Reverse Side)

**APPROVED** *6/30/2009*

*Earlene Russell*  
Division of Oil, Gas and Mining  
Earlene Russell, Engineering Technician

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)  
RED WASH  
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
RW 34-23B	23	070S	230E	4304715136	5670	Federal	OW	P	
RW 41-23B	23	070S	230E	4304715138	5670	Federal	OW	P	
RW 32-22B	22	070S	230E	4304715139	5670	Federal	OW	P	
RW 43-23B	23	070S	230E	4304715140	5670	Federal	OW	P	
RW 32-17C	17	070S	240E	4304715145	5670	Federal	OW	P	
RW 34-26B	26	070S	230E	4304715148	5670	Federal	GW	TA	
RW 32-14B	14	070S	230E	4304715150	5670	Federal	OW	P	
RW 34-14B	14	070S	230E	4304715152	5670	Federal	OW	S	
RW 23-22B	22	070S	230E	4304715153	5670	Federal	OW	TA	
RW 43-22B	22	070S	230E	4304715155	5670	Federal	OW	P	
RW 32-23B	23	070S	230E	4304715156	5670	Federal	OW	P	
RW 23-13B	13	070S	230E	4304715157	5670	Federal	GW	TA	
RW 34-22B	22	070S	230E	4304715158	5670	Federal	OW	P	
RW 32-13B	13	070S	230E	4304715163	5670	Federal	GW	P	
RW 14-23B	23	070S	230E	4304715165	5670	Federal	OW	S	
RW 14-24A	24	070S	220E	4304715166	17554	Federal	OW	DRL	
RW 21-24B	24	070S	230E	4304715167	5670	Federal	OW	TA	
RW 34-13B	13	070S	230E	4304715168	5670	Federal	OW	P	
RW 21-29C	29	070S	240E	4304715169	5670	Federal	GW	P	
RW 12-17B	17	070S	230E	4304715170	5670	Federal	OW	P	
RW 32-33C	33	070S	240E	4304715171	5670	Federal	GW	P	
RW 14-23A	23	070S	220E	4304715176	5670	Federal	OW	P	
RW 12-18C	18	070S	240E	4304715183	5670	Federal	OW	P	
RW 21-22B	22	070S	230E	4304715186	5670	Federal	GW	TA	
RW 34-18B	18	070S	230E	4304715189	5670	Federal	OW	P	
RW 21-27B	27	070S	230E	4304715191	5670	Federal	OW	TA	
RW 23-22A	22	070S	220E	4304715192	5670	Federal	OW	P	
RW 21-18C	18	070S	240E	4304715193	5670	Federal	OW	P	
RW 12-13B	13	070S	230E	4304715196	5670	Federal	GW	S	
RW 32-18C	18	070S	240E	4304715198	5670	Federal	GW	P	
RWU 77 (21-13B)	13	070S	230E	4304715199	5670	Federal	OW	P	
RW 32-28B	28	070S	230E	4304715200	5670	Federal	OW	P	
RW 12-27B	27	070S	230E	4304715201	5670	Federal	OW	TA	
RW 14-27B	27	070S	230E	4304715202	5670	Federal	OW	P	
RW 41-31B	31	070S	230E	4304715203	5670	Federal	OW	P	
RW 41-27A	27	070S	220E	4304715205	5670	Federal	OW	S	
RW 44-14B	14	070S	230E	4304715206	5670	Federal	GW	P	
RW 43-21B	21	070S	230E	4304715211	5670	Federal	OW	P	
RW 12-22A	22	070S	220E	4304715213	5670	Federal	OW	P	
RW 12-22B	22	070S	230E	4304715218	5670	Federal	OW	P	
RW 34-21B	21	070S	230E	4304715220	5670	Federal	OW	P	
RW 34-15B	15	070S	230E	4304715222	5670	Federal	OW	P	
RW 32-21B	21	070S	230E	4304715226	5670	Federal	OW	P	
RW 21-28B	28	070S	230E	4304715227	5670	Federal	OW	P	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)  
RED WASH  
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
RW 23-23A	23	070S	220E	4304715228	5670	Federal	OW	P	
RW 32-24A	24	070S	220E	4304715229	5670	Federal	OW	P	
RW 32-28A	28	070S	220E	4304715230	5670	Federal	OW	S	
RW 21-19B	19	070S	230E	4304715233	5670	Federal	OW	P	
RW 43-29A	29	070S	220E	4304715236	5670	Federal	OW	S	C
RW 23-28B	28	070S	230E	4304715237	17525	Federal	OW	P	C
RW 13-13B	13	070S	230E	4304715238	5670	Federal	GW	P	
RW 24-14B	14	070S	230E	4304715239	5670	Federal	OW	P	
RW 41-29A	29	070S	220E	4304715243	5670	Federal	OW	P	
RW 14-15B	15	070S	230E	4304715246	5670	Federal	OW	P	
RW 41-34B	34	070S	230E	4304715250	5670	Federal	OW	P	
RW 41-30B	30	070S	230E	4304715254	5670	Federal	OW	P	
RW 24-22B	22	070S	230E	4304715255	5670	Federal	OW	P	
RW 33-14B	14	070S	230E	4304715257	5670	Federal	OW	P	
RW 21-18B	18	070S	230E	4304715258	5670	Federal	OW	TA	
RW 22-22B	22	070S	230E	4304715260	5670	Federal	OW	TA	C
RW 42-14B	14	070S	230E	4304715264	5670	Federal	OW	P	
RW 14-29B	29	070S	230E	4304715265	5670	Federal	OW	P	
RW 32-30B	30	070S	230E	4304715268	5670	Federal	OW	P	
RW 32-15B	15	070S	230E	4304715270	5670	Federal	OW	P	
RW 12-20B	20	070S	230E	4304715272	5670	Federal	OW	S	
RW 12-28B	28	070S	230E	4304715274	5670	Federal	OW	P	
RW 32-26B	26	070S	230E	4304715275	5670	Federal	GW	TA	
RW 31-28B	28	070S	230E	4304715283	5670	Federal	OW	TA	
RW 34-30B	30	070S	230E	4304715288	5670	Federal	OW	P	
RW 23-26B	26	070S	230E	4304715290	5670	Federal	GW	S	
RW 41-33A	33	070S	220E	4304715294	5670	Federal	OW	P	
RW 43-24B	24	070S	230E	4304715295	5670	Federal	GW	TA	
RW 12-14B	14	070S	230E	4304715296	5670	Federal	OW	S	
RW 32-28C	28	070S	240E	4304715302	5670	Federal	GW	P	
RW 23-25A	25	070S	220E	4304715305	5670	Federal	OW	P	
RW 41-8F	08	080S	240E	4304720014	5670	Federal	GW	P	
RW 44-21C	21	070S	240E	4304730149	5670	Federal	GW	S	
RW 13-27B	27	070S	230E	4304730199	5670	Federal	OW	TA	
RW 21-34B	34	070S	230E	4304730258	5670	Federal	OW	P	
RW 43-26B	26	070S	230E	4304730259	5670	Federal	OW	TA	
RW 14-18C	18	070S	240E	4304730309	5670	Federal	OW	P	
RW 12-26B	26	070S	230E	4304730311	5670	Federal	OW	TA	
RW 32-24B	24	070S	230E	4304730313	5670	Federal	OW	P	
RW 34-18C	18	070S	240E	4304730314	5670	Federal	OW	P	
RW 21-19C	19	070S	240E	4304730340	5670	Federal	GW	P	
RW 14-25B	25	070S	230E	4304730341	5670	Federal	OW	P	
RW 32-35B	35	070S	230E	4304730342	5670	Federal	OW	TA	
RW 12-36B	36	070S	230E	4304730344	5670	Federal	OW	S	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)  
RED WASH  
effective June 14, 2010

well_name	sec	twp	rng	api	entity	mineral lease	type	stat	C
RW 22-14B	14	070S	230E	4304730345	5670	Federal	OW	P	
RW 42-13B	13	070S	230E	4304730346	5670	Federal	OW	P	
RW 23-19C	19	070S	240E	4304730348	5670	Federal	GW	P	
RW 22-18C	18	070S	240E	4304730387	5670	Federal	OW	P	
RW 22-17C	17	070S	240E	4304730388	5670	Federal	GW	P	
RW 44-26B	26	070S	230E	4304730520	5670	Federal	GW	P	
RW 42-27B	27	070S	230E	4304731051	5670	Federal	OW	TA	
RW 44-27B	27	070S	230E	4304731053	5670	Federal	OW	TA	
RW 44-23B	23	070S	230E	4304731054	5670	Federal	GW	P	
RW 11-35B	35	070S	230E	4304731079	5670	Federal	OW	P	
RW 22-35B	35	070S	230E	4304731082	5670	Federal	OW	P	
RW 33-23B	23	070S	230E	4304731476	5670	Federal	GW	TA	
RW 11-24B	24	070S	230E	4304731477	5670	Federal	OW	P	
RW 42-21B	21	070S	230E	4304731478	5670	Federal	OW	P	
RW 13-24B	24	070S	230E	4304731517	5670	Federal	OW	P	
RW 42-23B	23	070S	230E	4304731576	5670	Federal	GW	TA	
RW 12-35B	35	070S	230E	4304731578	5670	Federal	OW	S	
RW 24-15B	15	070S	230E	4304731579	5670	Federal	OW	P	
RW 24-18C	18	070S	240E	4304731582	5670	Federal	GW	P	
RW 43-15B	15	070S	230E	4304731682	17643	Federal	GW	DRL	C
RW 34-17B	17	070S	230E	4304731819	5670	Federal	OW	P	
RW 41-4F	04	080S	240E	4304732538	5670	Federal	GW	TA	
RW 23-23C	23	070S	240E	4304732629	5670	Federal	GW	P	
RW 14-17B	17	070S	230E	4304732738	5670	Federal	OW	P	
RW 32-17B	17	070S	230E	4304732981	5670	Federal	OW	P	
RW 32-18B	18	070S	230E	4304733018	5670	Federal	OW	P	
RW 42-20B	20	070S	230E	4304733490	5670	Federal	OW	P	
RW 22-20B	20	070S	230E	4304733491	5670	Federal	OW	P	
RW 24-19B	19	070S	230E	4304733492	5670	Federal	OW	P	
RW 22-21B	21	070S	230E	4304733522	5670	Federal	OW	S	
RW 24-20B	20	070S	230E	4304733523	5670	Federal	OW	P	
RW 44-19B	19	070S	230E	4304733524	5670	Federal	OW	P	
RW 44-20B	20	070S	230E	4304733525	5670	Federal	OW	P	
RW 24-18B	18	070S	230E	4304733554	5670	Federal	OW	P	
RW 42-19B	19	070S	230E	4304733556	5670	Federal	OW	P	
RW 22-19B	19	070S	230E	4304733559	5670	Federal	OW	P	
RW 23-24A	24	070S	220E	4304733567	5670	Federal	OW	P	
RW 42-24A	24	070S	220E	4304733569	5670	Federal	OW	P	
RW 21-25A	25	070S	220E	4304733576	5670	Federal	OW	P	
RW 41-25A	25	070S	220E	4304733579	5670	Federal	OW	P	
RW 21-24A	24	070S	220E	4304733592	5670	Federal	OW	P	
RW 44-18B	18	070S	230E	4304733594	5670	Federal	OW	P	
RW 41-24A	24	070S	220E	4304733769	5670	Federal	OW	P	
RW 42-30B	30	070S	230E	4304733771	5670	Federal	OW	S	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)  
RED WASH  
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
RWU 44-30B	30	070S	230E	4304733772	5670	Federal	OW	P	
RW 22-25A	25	070S	220E	4304733786	5670	Federal	OW	P	
RW 34-27C	27	070S	240E	4304735045	5670	Federal	GW	P	
RW 34-22C	22	070S	240E	4304735098	5670	Federal	GW	P	
RW 34-23AG	23	070S	220E	4304735668	5670	Federal	OW	P	
RWU 32-27AG	27	070S	220E	4304735670	5670	Federal	OW	P	
RW 14-34AMU	34	070S	220E	4304735671	14277	Federal	GW	P	
RW 44-08FG	08	080S	240E	4304736349	15261	Federal	GW	P	
RW 34-34 AD	34	070S	220E	4304736351	16177	Federal	GW	P	
RW 33-31 BD	31	070S	230E	4304736357		Federal	GW	APD	C
RW 13-31 BD	31	070S	230E	4304736358		Federal	GW	APD	C
RW 21-26AD	26	070S	220E	4304736768	5670	Federal	OW	OPS	C
RW 43-26AG	26	070S	220E	4304736769	16575	Federal	OW	OPS	C
RW 43-23AG	23	070S	220E	4304736770	5670	Federal	OW	OPS	C
RW 41-26AG	26	070S	220E	4304736818	5670	Federal	OW	OPS	C
RW 04-25B	25	070S	230E	4304736982	17224	Federal	OW	P	
RW 34-27ADR	27	070S	220E	4304739445	16330	Federal	GW	P	
RW 32-29CD	29	070S	240E	4304739854		Federal	GW	APD	C
RW 24-10FD	10	080S	240E	4304739963		Federal	GW	APD	C
RW 34-20CD	20	070S	240E	4304739964		Federal	GW	APD	C
RW 32-20CD	20	070S	240E	4304739965		Federal	GW	APD	
RW 24-21CD	21	070S	240E	4304739966		Federal	GW	APD	C
RW 41-28CD	28	070S	240E	4304739967		Federal	GW	APD	C
RW 41-33CD	33	070S	240E	4304739968		Federal	GW	APD	C
RW 14-35 AMU	35	070S	220E	4304740051		Federal	GW	APD	C
RW 44-35 AMU	35	070S	220E	4304740052		Federal	GW	APD	
RW 12-17FG	17	080S	240E	4304740602		Federal	GW	APD	C

Bonds: BLM = ESB000024  
BIA = 956010693  
State = 965010695



## United States Department of the Interior

### BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155  
<http://www.blm.gov/ut/st/en.html>



IN REPLY REFER TO:  
3100  
(UT-922)

JUL 28 2010

#### Memorandum

To: Vernal Field Office, Price Field Office, Moab Field Office  
From: Chief, Branch of Minerals *Roger L. Bankert*  
Subject: Name Change Recognized

Attached is a copy of the Certificate of Name Change issued by the Texas Secretary of State and a decision letter recognizing the name change from the Eastern States Office. We have updated our records to reflect the name change in the attached list of leases.

The name change from **Questar Exploration and Production Company** into **QEP Energy Company** is effective June 8, 2010.

cc: MMS  
UDOGM

RECEIVED

AUG 16 2010

DIV. OF OIL, GAS & MINERAL